Accepted Manuscript

Finding Region of Interest in the Infrared Image of Electrical Installation

Mohd Shawal Jadin, Soib Taib, Kamarul Hawari Ghazali

PII: S1350-4495(15)00105-X

DOI: http://dx.doi.org/10.1016/j.infrared.2015.05.010

Reference: INFPHY 1791

To appear in: Infrared Physics & Technology

Received Date: 27 January 2015



Please cite this article as: M.S. Jadin, S. Taib, K.H. Ghazali, Finding Region of Interest in the Infrared Image of Electrical Installation, *Infrared Physics & Technology* (2015), doi: http://dx.doi.org/10.1016/j.infrared.2015.05.010

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Finding Region of Interest in the Infrared Image of Electrical Installation

Mohd Shawal Jadin^a*, Soib Taib^b, Kamarul Hawari Ghazali^c

^aSustainability Energy & Power Electronics Research Cluster (SuPER),

^cVision Intelligent System (ViSIS),

Faculty of Electrical & Electronic Engineering

Universiti Malaysia Pahang, 26600 Pekan, Pahang, Malaysia

Tel: +6094246056, fax: +6094246111

E-mail: mohdshawal@ump.edu.my, kamarul@ump.edu.my

^bSchool of Electrical and Electronic Engineering, Universiti Sains Malaysia, Engineering Campus, 14300 Nibong Tebal, Penang, Malaysia

E-mail: soibtaib@eng.usm.my

Abstract

This paper presents a method of automatically finding the region of interests (ROIs) in an infrared image of electrical installations. These regions are very important, particularly for diagnosing the thermal condition of electrical equipment. For a vast number of electrical equipment to be inspected, manual region selection of the images normally will take a lot of time. Therefore, an automatic region detection system is more preferred. However, due to the nature of the infrared image, the conventional segmentation methods have some limitations in order to properly find the desired ROIs. In addition, all objects within the image commonly have heterogeneous pixel intensities causing the segmented regions tend to be over segmented or some parts of the target objects either be divided into multiple regions or merging with the background image. Therefore, this paper proposes a new segmentation method of detecting the repeated structures of electrical equipment within an infrared image by taking the advantage of local keypoint feature matching. Experimental results indicate that the proposed method achieves a better performance for detecting the target ROIs compared with the conventional methods. The algorithm was tested on real infrared images with diverse irregular intensity variations and cluttered background. Finally, the performance of the proposed method was qualitatively and quantitatively evaluated.

Download English Version:

https://daneshyari.com/en/article/8146930

Download Persian Version:

https://daneshyari.com/article/8146930

<u>Daneshyari.com</u>