Accepted Manuscript



Facile preparation and performance of novel high-T_C $xBi(Ni_{1/2}Ti_{1/2})O_3$-(1-x)$Pb(Zr_{1/2}Ti_{1/2})O_3$ piezoceramics

Wanwan Ji, Shuai Feng, Bijun Fang, Xiangyong Zhao, Shuai Zhang, Jianning Ding, Haosu Luo

PII: S1567-1739(17)30340-1

DOI: 10.1016/j.cap.2017.12.007

Reference: CAP 4646

To appear in: *Current Applied Physics*

Received Date: 21 August 2017

Revised Date: 13 December 2017

Accepted Date: 14 December 2017

Please cite this article as: W. Ji, S. Feng, B. Fang, X. Zhao, S. Zhang, J. Ding, H. Luo, Facile preparation and performance of novel high-T_C $xBi(Ni_{1/2}Ti_{1/2})O_3$-(1-x)$Pb(Zr_{1/2}Ti_{1/2})O_3$ piezoceramics, *Current Applied Physics* (2018), doi: 10.1016/j.cap.2017.12.007.

Facile preparation and performance of novel high-T_C $xBi(Ni_{1/2}Ti_{1/2})O_3$-$(1-x)Pb(Zr_{1/2}Ti_{1/2})O_3$ piezoceramics

Wanwan Ji[a], Shuai Feng[a], Bijun Fang[a,*], Xiangyong Zhao[b], Shuai Zhang[a], Jianning Ding[a,c,*], Haosu Luo[d,*]

[a] *School of Materials Science and Engineering, Jiangsu Collaborative Innovation Center of Photovolatic Science and Engineering, Jiangsu Province Cultivation Base for State Key Laboratory of Photovoltaic Science and Technology, National Experimental Demonstration Center for Materials Science and Engineering, Changzhou University, Changzhou 213164, China*

[b] *Key Laboratory of Optoelectronic Material and Device, Department of Physics, Shanghai Normal University, Shanghai 200234, China*

[c] *School of Material Science and Engineering, Jiangsu University, Zhenjiang 212013, China*

[d] *Key Laboratory of Inorganic Function Material and Device, Chinese Academy of Sciences, Shanghai 201800, P. R. China*

[*]Corresponding authors:

E-mail addresses: fangbj@cczu.edu.cn (B. Fang); dingjn@cczu.edu.cn (J. Ding); hsluo@mail.sic.ac.cn (H. Luo)

Tel.: +86 519 86330095; fax: +86 519 86330095

Abstract: High Curie temperature (T_C) $xBi(Ni_{1/2}Ti_{1/2})O_3$-$(1-x)Pb(Zr_{1/2}Ti_{1/2})O_3$