Accepted Manuscript ISSN 0022-0248 FLISEVIER CRYSTAL JOURNAL OF In-situ detection of convection and rotation striations by growth interface electromotive force spectrum Yunzhong Zhu, Feng Tang, Xin Yang, Mingming Yang, Decai Ma, Xiaoyue Zhang, Yang Liu, Shaopeng Lin, Biao Wang PII: \$0022-0248(18)30057-5 DOI: https://doi.org/10.1016/j.jcrysgro.2018.02.010 **CRYS 24479** Reference: ScienceDirect

Please cite this article as: Y. Zhu, F. Tang, X. Yang, M. Yang, D. Ma, X. Zhang, Y. Liu, S. Lin, B. Wang, In-situ detection of convection and rotation striations by growth interface electromotive force spectrum, *Journal of Crystal Growth* (2018), doi: https://doi.org/10.1016/j.jcrysgro.2018.02.010

Journal of Crystal Growth

To appear in:

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

In-situ detection of convection and rotation striations by growth interface electromotive force spectrum

Yunzhong Zhu^a, Feng Tang^b, Xin Yang^b, Mingming Yang^b, Decai Ma^a, Xiaoyue Zhang^a, Yang Liu^a, Shaopeng Lin^{a,*}, Biao Wang^{a,b,*}

^a Sino French Institute of Nuclear Engineering and Technology, Sun Yat-sen University, Zhuhai, 519082, China

^b State Key Laboratory of Optoelectronic Materials and Technologies/Institute of Optoelectronic and Functional Composite Materials, School of Physics and Engineering, Sun Yat-sen University, Guangzhou 510275, China

*e-mail: lshpeng@mail.sysu.edu.cn; wangbiao@mail.sysu.edu.cn

Abstract

Nanoscale growth striations, induced by the crystal rotation and melt convection, are in-situ detected by the growth interface electromotive force (GEMF) spectrum during Czochralski (CZ) crystal growth. Specifically, the intensity and period of rotation and convection striations could be precisely revealed under different rotation rates. This is because the GEMF spectrum is affected by the combination effort of temperature difference in crystal rotation path and the melt flow in growth interface. Furthermore, the spectrum analysis (Fourier transform) reveals remarkable characteristics of periodic flow oscillation. More interestingly, in different rotation rates, the corresponding convection period and intensity show particular regularity that could barely be observed in semitransparent and high-temperature melt. Therefore, the GEMF spectrum reflects the subtle changes of a growing crystal that is far beyond the detecting precision of sensors in current CZ equipment. On the basis of this paper and our previous work, the real-time feedback of multiscale striations is established. GEMF spectrum could be a promising approach to reveal striation formation mechanism and optimize crystal quality.

Keywords

A2. Czochralski method, A1. Growth interface electromotive force, A1. Defects, A1. Convection, A1 Fluid flows, A1. Interfaces

Download English Version:

https://daneshyari.com/en/article/8148740

Download Persian Version:

https://daneshyari.com/article/8148740

Daneshyari.com