

Accepted Manuscript

Synthesis of barium-strontium titanate hollow tubes using Kirkendall effect

Xuncaï Chen, Songwen Tan, SangHyuk Im, Jinsoo Kim, Woo-Sik Kim

PII: S0022-0248(17)30605-X

DOI: <https://doi.org/10.1016/j.jcrysgr.2017.10.004>

Reference: CRY5 24324

To appear in: *Journal of Crystal Growth*

Received Date: 4 September 2017

Revised Date: 1 October 2017

Accepted Date: 5 October 2017



Please cite this article as: X. Chen, S. Tan, S. Im, J. Kim, W-S. Kim, Synthesis of barium-strontium titanate hollow tubes using Kirkendall effect, *Journal of Crystal Growth* (2017), doi: <https://doi.org/10.1016/j.jcrysgr.2017.10.004>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Synthesis of Barium-Strontium Titanate Hollow Tubes

using Kirkendall Effect

*Xuncaï Chen^{a,b}, Songwen Tan^b, SangHyuk Im^a, Jinsoo Kim^a, and Woo-Sik Kim^{*a}*

* E-mail: wskim@khu.ac.kr.

^a Department of Chemical Engineering, Functional Crystallization Center, Kyung Hee University, Yoing-si Kiheung-ku Seochun-dong, Kyungki-do 446-701, Republic of Korea

^b School of Chemical and Biomolecular Engineering, The University of Sydney, Sydney, New South Wales 2006, Australia

Download English Version:

<https://daneshyari.com/en/article/8148980>

Download Persian Version:

<https://daneshyari.com/article/8148980>

[Daneshyari.com](https://daneshyari.com)