

Research articles

A Novel Method for the Functionalization of Aminoacids L-Glycine, L-Glutamic Acid and L-Arginine on Maghemite/Magnetite Nanoparticles

A.J. Bruno, J.R. Correa, E. Peláez-Abellán, E. Urones-Garrote

PII: S0304-8853(17)32289-8
DOI: https://doi.org/10.1016/j.jmmm.2018.02.010
Reference: MAGMA 63687

To appear in: *Journal of Magnetism and Magnetic Materials*

Received Date: 28 July 2017
Revised Date: 25 January 2018
Accepted Date: 4 February 2018

Please cite this article as: A.J. Bruno, J.R. Correa, E. Peláez-Abellán, E. Urones-Garrote, A Novel Method for the Functionalization of Aminoacids L-Glycine, L-Glutamic Acid and L-Arginine on Maghemite/Magnetite Nanoparticles, *Journal of Magnetism and Magnetic Materials* (2018), doi: https://doi.org/10.1016/j.jmmm.2018.02.010

A Novel Method for the Functionalization of Aminoacids L-Glycine, L-Glutamic Acid and L-Arginine on Maghemite/Magnetite Nanoparticles

A.J. Bruno[a], J.R. Correa[a,*], E. Peláez-Abellán[a], E. Urones-Garrote[b]

a. Faculty of Chemistry. Havana University. Zapata s/n e/ C. Aguirre and G st. Havana 10400 Cuba.

b. National Center for Electron Microscopy. Complutense University of Madrid. Complutense Ave. Madrid E-28040. Spain.

* Corresponding author

E-mail address: correa@fq.uh.cu (José R. Correa)

Keywords: magnetite; maghemite; aminoacid; functionalization