

Evaluating the effects of receive-only arrays in specific absorption rate simulations at 3 and 7 T

Matthias Malzacher, Mathias Davids, Lothar R. Schad, Jorge Chacon-Caldera

PII: S0730-725X(18)30232-7
DOI: doi:10.1016/j.mri.2018.06.011
Reference: MRI 8984

To appear in: *Magnetic Resonance Imaging*

Received date: 19 April 2018
Revised date: 14 June 2018
Accepted date: 17 June 2018

Please cite this article as: Matthias Malzacher, Mathias Davids, Lothar R. Schad, Jorge Chacon-Caldera , Evaluating the effects of receive-only arrays in specific absorption rate simulations at 3 and 7 T. Mri (2018), doi:10.1016/j.mri.2018.06.011

Evaluating the effects of receive-only arrays in specific absorption rate simulations at 3 and 7T

Matthias Malzacher[1], Mathias Davids[1], Lothar R. Schad[1] and Jorge Chacon-Caldera[1]

[1] Computer Assisted Clinical Medicine, Medical Faculty Mannheim, Heidelberg University, Mannheim, Germany

Corresponding Author:

Matthias Malzacher,

House 3, Level 4, Room 125

Theodor-Kutzer-Ufer 1-3

68167 Mannheim

email: Matthias.Malzacher@MedMa.Uni-Heidelberg.de

phone.: (0049621) 383-5129

fax: (0049621) 383-5123

Abbreviations: SAR: Specific Absorption Rate; receive: Rx; Radio Frequency: RF; Magnetic Resonance: MR; Transmit: Tx; Signal-to-Noise Ratio: SNR; Electromagnetic: EM: Finite-Element-Method: FEM