


# Accepted Manuscript

C-terminal oligomerization of podocin mediates interallelic interactions

Pál Stráner, Eszter Balogh, Gusztáv Schay, Christelle Arrondel, Ágnes Mikó, Gerda L'Auné, Alexandre Benmerah, András Perczel, Dóra K. Menyhárd, Corinne Antignac, Géraldine Mollet, Kálmán Tory



PII: S0925-4439(18)30132-7

DOI: [doi:10.1016/j.bbadi.2018.04.008](https://doi.org/10.1016/j.bbadi.2018.04.008)

Reference: BBADIS 65105

To appear in:

Received date: 23 December 2017

Revised date: 22 March 2018

Accepted date: 11 April 2018

Please cite this article as: Pál Stráner, Eszter Balogh, Gusztáv Schay, Christelle Arrondel, Ágnes Mikó, Gerda L'Auné, Alexandre Benmerah, András Perczel, Dóra K. Menyhárd, Corinne Antignac, Géraldine Mollet, Kálmán Tory , C-terminal oligomerization of podocin mediates interallelic interactions. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Bbadis(2018), doi:[10.1016/j.bbadi.2018.04.008](https://doi.org/10.1016/j.bbadi.2018.04.008)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## C-terminal oligomerization of podocin mediates interallelic interactions

Pál Stráner<sup>1‡</sup>, Eszter Balogh<sup>2,3‡</sup> MD, Gusztáv Schay PhD<sup>4</sup>, Christelle Arrondel<sup>5,6</sup>, Ágnes Mikó<sup>2,3</sup> MD, Gerda L'Auné<sup>2,3</sup>, Alexandre Benmerah PhD<sup>5,6</sup>, András Perczel DSc<sup>1</sup>, Dóra K. Menyhárd PhD<sup>1</sup>, Corinne Antignac MD, PhD<sup>5,6,7</sup>, Géraldine Mollet PhD<sup>5,6#</sup>, Kálmán Tory MD, PhD<sup>2,3,5,6#\*</sup>

<sup>1</sup> MTA-ELTE Protein Modeling Research Group and Laboratory of Structural Chemistry and Biology, Eötvös Loránd University, Budapest, Hungary

<sup>2</sup> MTA-SE Lendület Nephrogenetic Laboratory, Budapest, Hungary

<sup>3</sup> Semmelweis University, I<sup>st</sup> Department of Pediatrics, Budapest, Hungary

<sup>4</sup> Semmelweis University, Department of Biophysics and Radiation Biology, Budapest, Hungary

<sup>5</sup> Laboratory of Hereditary Kidney Diseases, INSERM, UMR 1163, Imagine Institute, Paris, France

<sup>6</sup> Université Paris Descartes-Sorbonne Paris Cité, Imagine Institute, Paris, France

<sup>7</sup> Assistance Publique – Hôpitaux de Paris, Hôpital Necker-Enfants Malades, Département de Génétique, Paris, France

<sup>‡</sup> These authors contributed equally to this work, <sup>#</sup> Co-last authors

Corresponding author:

Kálmán Tory, tory.kalman@med.semmelweis-univ.hu, +36 20 825 8166

Semmelweis University, I<sup>st</sup> Department of Pediatrics, Bókay J. u. 53., Budapest, Hungary, 1083

sources of support: MTA-SE Lendulet Research Grant (LP2015-11/2015), NKFI/OTKA K109718, K116305, KH125566, MedinProt Synergy grant (DKM, SP and TK), (ANR-10-IAHU-01), EURenOomics (the European Community's 7th Framework program grant 2012-305608), ANR (GenPod project ANR-12-BSV1-0033.01), Eotvos Scholarship (KT), PHC 34501SM Balaton, TeT\_14\_1-2015-0020

Download English Version:

<https://daneshyari.com/en/article/8258399>

Download Persian Version:

<https://daneshyari.com/article/8258399>

[Daneshyari.com](https://daneshyari.com)