

Targeting secreted cytokine BMP9 gates the attenuation of hepatic fibrosis

Peng Li, Yongyun Li, Liqi Zhu, Zhi Yang, Jie He, Lihua Wang, Qingfeng Shang, Hui Pan, Huixue Wang, Xiong Ma, Bin Li, Xianqun Fan, Shengfang Ge, Renbing Jia, He Zhang

PII: S0925-4439(17)30457-X
DOI: doi:10.1016/j.bbadis.2017.12.008
Reference: BBADIS 64984

To appear in:

Received date: 14 July 2017
Revised date: 3 December 2017
Accepted date: 4 December 2017

Please cite this article as: Peng Li, Yongyun Li, Liqi Zhu, Zhi Yang, Jie He, Lihua Wang, Qingfeng Shang, Hui Pan, Huixue Wang, Xiong Ma, Bin Li, Xianqun Fan, Shengfang Ge, Renbing Jia, He Zhang , Targeting secreted cytokine BMP9 gates the attenuation of hepatic fibrosis. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Bbadis(2017), doi:10.1016/j.bbadis.2017.12.008

Targeting secreted cytokine BMP9 gates the attenuation of hepatic fibrosis

Peng Li[1*], Yongyun Li[1*], Liqi Zhu[1*], Zhi Yang[1], Jie He[1], Lihua Wang[1], Qingfeng Shang[1], Hui Pan[1], Huixue Wang[1], Xiong Ma[2], Bin Li[1,3], Xianqun Fan[1], Shengfang Ge[1#], Renbing Jia[1#], He Zhang[1#]

[1]Department of Ophthalmology, Ninth People's Hospital, Shanghai JiaoTong University School of Medicine, Shanghai, P.R. China

[2]State Key Laboratory for Oncogenes and Related Genes, Division of Gastroenterology and Hepatology, Renji Hospital, Shanghai JiaoTong University School of Medicine, Shanghai, P.R. China

[3]Shanghai Institute of Immunology, Shanghai JiaoTong University School of Medicine, Shanghai, P.R. China

*These authors are co-first authors of this report.

# These authors are co-corresponding authors of this report.

Requests for reprints:

He Zhang, Ph.D., Ninth People's Hospital, Shanghai JiaoTong University School of Medicine, Shanghai, 200025, P.R. China, E-mail: zhanghe@sjtu.edu.cn;

KEYWORDS: anti-fibrotic efficacy, BMP9, liver fibrosis, animal model