
Author's Accepted Manuscript

Mild ozonisation activates antioxidant cell response by the Keap1/Nrf2 dependent pathway

Mirco Galiè, Manuela Costanzo, Alice Nodari, Federico Boschi, Laura Calderan, Silvia Mannucci, Viviana Covi, Gabriele Tabaracci, Manuela Malatesta



 PII:
 S0891-5849(18)30976-6

 DOI:
 https://doi.org/10.1016/j.freeradbiomed.2018.05.093

 Reference:
 FRB13795

To appear in: Free Radical Biology and Medicine

Received date: 18 January 2018 Revised date: 30 May 2018 Accepted date: 31 May 2018

Cite this article as: Mirco Galiè, Manuela Costanzo, Alice Nodari, Federico Boschi, Laura Calderan, Silvia Manucci, Viviana Covi, Gabriele Tabaracci and Manuela Malatesta, Mild ozonisation activates antioxidant cell response by the Keap1/Nrf2 dependent pathway, *Free Radical Biology and Medicine*, https://doi.org/10.1016/j.freeradbiomed.2018.05.093

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Mild ozonisation activates antioxidant cell response by the Keap1/Nrf2 dependent pathway

Mirco Galiè^a, Manuela Costanzo^{a*1}, Alice Nodari^a, Federico Boschi^b, Laura Calderan^a, Silvia Mannucci^a, Viviana Covi^c, Gabriele Tabaracci^c, Manuela Malatesta^a

^aDepartment of Neurosciences, Biomedicine and Movement Sciences, University of Verona,

Strada Le Grazie 8, I-37134 Verona, Italy

, CC

^bDepartment of Computer Science, University of Verona, Strada Le Grazie 15, I-37134 Verona, Italy

^cSan Rocco Clinic, Via Monsignor G. V. Moreni 95, 25018 Montichiari (BS), Italy

*Corresponding author: Manuela Malatesta, Department of Neuroscience, Biomedicine and Movement Sciences, University of Verona, Strada Le Grazie 8, I-37134 Verona, Italy; Tel. +39.045.8027569; e-mail: manuela.malatesta@univr.it

Abstract

Treatment with low-dose ozone is successfully exploited as an adjuvant therapy in the treatment of several disorders. Although the list of medical applications of ozone therapy is increasing, molecular mechanisms underlying its beneficial effects are still partially known. Clinical and experimental evidence suggest that the therapeutic effects of ozone treatment may rely on its capability to mount a beneficial antioxidant response through activation of the

¹ (ORCID: 0000-0001-8196-9232)

Download English Version:

https://daneshyari.com/en/article/8265093

Download Persian Version:

https://daneshyari.com/article/8265093

Daneshyari.com