


Ezetimibe, an NPC1L1 inhibitor, is a potent Nrf2 activator that protects mice from diet-induced nonalcoholic steatohepatitis

Da Hyun Lee, Dai Hoon Han, Ki Taek Nam, Jeong Su Park, Soo Hyun Kim, Milim Lee, Gyuri Kim, Byung Soh Min, Bong-Soo Cha, Yu Seol Lee, Su Haeng Sung, Haengdueng Jeong, Hye Won Ji, Moon Joo Lee, Jae Sung Lee, Hui-Young Lee, Yoomi Chun, Joungmok Kim, Masaaki Komatsu, Yong-ho Lee, Soo Han Bae



PII: S0891-5849(16)30423-3
DOI: <http://dx.doi.org/10.1016/j.freeradbiomed.2016.09.009>
Reference: FRB12996

To appear in: *Free Radical Biology and Medicine*

Received date: 14 July 2016
Revised date: 24 August 2016
Accepted date: 9 September 2016

Cite this article as: Da Hyun Lee, Dai Hoon Han, Ki Taek Nam, Jeong Su Park, Soo Hyun Kim, Milim Lee, Gyuri Kim, Byung Soh Min, Bong-Soo Cha, Yu Seol Lee, Su Haeng Sung, Haengdueng Jeong, Hye Won Ji, Moon Joo Lee, Jae Sung Lee, Hui-Young Lee, Yoomi Chun, Joungmok Kim, Masaaki Komatsu, Yong-ho Lee and Soo Han Bae, Ezetimibe, an NPC1L1 inhibitor, is a potent Nrf2 activator that protects mice from diet-induced nonalcoholic steatohepatitis *Free Radical Biology and Medicine* <http://dx.doi.org/10.1016/j.freeradbiomed.2016.09.009>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Ezetimibe, an NPC1L1 inhibitor, is a potent Nrf2 activator that protects mice from diet-induced nonalcoholic steatohepatitis

Da Hyun Lee^{1,2#}, Dai Hoon Han^{3#}, Ki Taek Nam^{1,2}, Jeong Su Park², Soo Hyun Kim⁴, Milim Lee⁴, Gyuri Kim⁴, Byung Soh Min³, Bong-Soo Cha⁴, Yu Seol Lee², Su Haeng Sung², Haengdueng Jeong^{1,2}, Hye Won Ji², Moon Joo Lee², Jae Sung Lee⁵, Hui-Young Lee⁵, Yoomi Chun⁷, Joungmok Kim⁷, Masaaki Komatsu⁶, Yong-ho Lee^{4*}, and Soo Han Bae^{2*}

¹Brain Korea 21 PLUS Project for Medical Science, Yonsei University;

²Severance Biomedical Science Institute, Yonsei Biomedical Research Institute, Yonsei University College of Medicine, 50 Yonsei-ro, Seodaemun-gu, Seoul 03722, Republic of Korea;

³Department of Surgery, Yonsei University College of Medicine, 50-1 Yonsei-ro, Seodaemun-gu, Seoul 03722, Republic of Korea;

⁴Division of Endocrinology and Metabolism, Department of Internal Medicine, Yonsei University College of Medicine, 50-1, Yonsei-ro, Seodaemun-gu, Seoul 03722, Republic of Korea;

⁵Department of Molecular Medicine and Korea Mouse Metabolic Phenotyping Center, Lee Gil Ya Cancer and Diabetes Institute, School of Medicine, Gachon University, Incheon 21999, Republic of Korea;

⁶Department of Biochemistry, Niigata University Graduate School of Medical and Dental Sciences, Chuo-ku, Niigata 951-8510, Japan

⁷Department of Oral Biochemistry and Molecular Biology, School of Dentistry, Kyung Hee University, Seoul 02447, Korea

[#]These authors contributed equally to this work.

Download English Version:

<https://daneshyari.com/en/article/8267486>

Download Persian Version:

<https://daneshyari.com/article/8267486>

[Daneshyari.com](https://daneshyari.com)