


Accepted Manuscript

Deep brain stimulation is effective in pediatric patients with GNAO1 associated severe hyperkinesia

Anne Koy, Sebahattin Cirak, Victoria Gonzalez, Kerstin Becker, Thomas Roujeau, Christophe Milesi, Julien Baleine, Gilles Cambonie, Alain Boularan, Frederic Greco, Pierre-Francois Perrigault, Claude Cances, Nathalie Dorison, Diane Doummar, Agathe Roubertie, Christophe Beroud, Friederike Körber, Burkhard Stüve, Stephan Waltz, Cyril Mignot, Caroline Nava, Mohammad Maarouf, Philippe Coubes, Laura Cif



PII: S0022-510X(18)30242-9
DOI: doi:[10.1016/j.jns.2018.05.018](https://doi.org/10.1016/j.jns.2018.05.018)
Reference: JNS 15910

To appear in: *Journal of the Neurological Sciences*

Received date: 28 February 2018

Accepted date: 21 May 2018

Please cite this article as: Anne Koy, Sebahattin Cirak, Victoria Gonzalez, Kerstin Becker, Thomas Roujeau, Christophe Milesi, Julien Baleine, Gilles Cambonie, Alain Boularan, Frederic Greco, Pierre-Francois Perrigault, Claude Cances, Nathalie Dorison, Diane Doummar, Agathe Roubertie, Christophe Beroud, Friederike Körber, Burkhard Stüve, Stephan Waltz, Cyril Mignot, Caroline Nava, Mohammad Maarouf, Philippe Coubes, Laura Cif , Deep brain stimulation is effective in pediatric patients with GNAO1 associated severe hyperkinesia. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Jns(2017), doi:[10.1016/j.jns.2018.05.018](https://doi.org/10.1016/j.jns.2018.05.018)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Deep brain stimulation is effective in pediatric patients with *GNAO1* associated severe hyperkinesia

Anne Koy, MD*¹, Sebahattin Cirak, MD*^{1,2}, Victoria Gonzalez, PhD, MD³⁻⁵, Kerstin Becker, PhD^{1,2}, Thomas Roujeau, MD³, Christophe Milesi, MD⁶, Julien Baleine, MD⁶, Gilles Cambonie, MD⁶, Alain Boullaran, MD⁷, Frederic Greco, MD⁷, Pierre-Francois Perrigault, MD⁷, Claude Cances, MD⁸, Nathalie Dorison, MD⁹, Diane Doummar, MD¹⁰, Agathe Roubertie, PhD, MD^{11,12}, Christophe Beroud, PhD¹³⁻¹⁵, Friederike Körber, MD¹⁶, Burkhard Stüve, MD¹⁷, Stephan Waltz, MD¹⁷, Cyril Mignot, MD¹⁸, Caroline Nava, MD¹⁸, Mohammad Maarouf, MD¹⁹, Philippe Coubes, PhD, MD^{#3-5}, Laura Cif, PhD, MD³⁻⁵[#]

¹Department of Pediatrics, University Hospital Cologne, Germany

²Center for Molecular Medicine, University of Cologne, Germany

³Département de Neurochirurgie, Centre Hospitalier Régional Montpellier, France

⁴Unité de Recherche sur les Comportements et Mouvements Anormaux (URCMA), France

⁵Université Montpellier, Montpellier, France

⁶Département Pédiatrie néonatale et réanimations; Centre Hospitalier Universitaire Montpellier, France

⁷Anesthésie-Réanimation Gui de Chauliac, Centre Hospitalier Universitaire Montpellier, France

⁸Service de Pédiatrie-Neurologie et infectiologie; CHU de Toulouse-Hôpital des Enfants, Toulouse, France

⁹Service de Neurochirurgie, Fondation Ophtalmologique Rothschild Paris, France

¹⁰Service de Neuropédiatrie-Unité de neuropédiatrie et pathologie du développement, Service de Neuropédiatrie et Génétique-CR Cervelet, CHU Paris Est-Hôpital Armand-Trousseau, Paris, France

Download English Version:

<https://daneshyari.com/en/article/8272406>

Download Persian Version:

<https://daneshyari.com/article/8272406>

[Daneshyari.com](https://daneshyari.com)