


Accepted Manuscript

Combining clinical and magnetic resonance imaging markers enhances prediction of 12-year employment status in multiple sclerosis patients

Lucie Kadrnozkova, Manuela Vaneckova, Lukas Sobisek, Barbora Benova, Karolina Kucerova, Jiri Motyl, Michaela Andelova, Klara Novotna, Jana Lizrova Preiningerova, Jan Krasensky, Eva Havrdova, Dana Horakova, Tomas Uher



PII: S0022-510X(18)30103-5
DOI: doi:[10.1016/j.jns.2018.02.045](https://doi.org/10.1016/j.jns.2018.02.045)
Reference: JNS 15813

To appear in: *Journal of the Neurological Sciences*

Received date: 1 November 2017
Revised date: 11 February 2018
Accepted date: 27 February 2018

Please cite this article as: Lucie Kadrnozkova, Manuela Vaneckova, Lukas Sobisek, Barbora Benova, Karolina Kucerova, Jiri Motyl, Michaela Andelova, Klara Novotna, Jana Lizrova Preiningerova, Jan Krasensky, Eva Havrdova, Dana Horakova, Tomas Uher, Combining clinical and magnetic resonance imaging markers enhances prediction of 12-year employment status in multiple sclerosis patients. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Jns*(2018), doi:[10.1016/j.jns.2018.02.045](https://doi.org/10.1016/j.jns.2018.02.045)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Combining clinical and magnetic resonance imaging markers enhances prediction of 12-year employment status in multiple sclerosis patients

Lucie Kadrnozkova¹, Manuela Vaneckova², Lukas Sobisek³, Barbora Benova¹, Karolina Kucerova¹, Jiri Motyl¹, Michaela Andelova¹, Klara Novotna¹, Jana Lizrova Preiningerova¹, Jan Krasensky², Eva Havrdova¹, Dana Horakova¹ and Tomas Uher¹

1 Department of Neurology and Center of Clinical Neuroscience, First Faculty of Medicine, Charles University and General University Hospital, Katerinska 30, 120 00 Prague, Czech Republic

2 Department of Radiology, First Faculty of Medicine, Charles University and General University Hospital, U Nemocnice 2, 128 08 Prague, Czech Republic

3 Department of Statistics and Probability, University of Economics, Nam. W. Churchilla 4 130 67 Prague, Czech Republic

Corresponding author:

Lucie Kadrnozkova,

Department of Neurology and Center of Clinical Neuroscience,

First Faculty of Medicine Charles University and General University Hospital in Prague, Katerinska 30, 120 00 Prague, Czech Republic

Lucie.Kadrnozkova@vfn.cz

Running title:

Early predictors of employment in MS

Keywords:

Multiple sclerosis; Employment; Magnetic Resonance Imaging; Work, Longitudinal studies; Brain Atrophy; Lesion load

Abstract count: 286; Title characters: 137; Word count: 3375; Number of Tables: 2; Number of Supplementary Tables: 1; Number of Figures: 3; Number of references: 35

Download English Version:

<https://daneshyari.com/en/article/8272603>

Download Persian Version:

<https://daneshyari.com/article/8272603>

[Daneshyari.com](https://daneshyari.com)