## Accepted Manuscript

Inorganic phosphorus (Pi) in CSF is a biomarker for SLC20A2-associated idiopathic basal ganglia calcification (IBGC1)

Isao Hozumi, Hisaka Kurita, Kazuhiro Ozawa, Nobuyuki Furuta, Masatoshi Inden, Shin-ichiro Sekine, Megumi Yamada, Yuichi Hayashi, Akio Kimura, Takashi Inuzuka, Mitsuru Seishima



PII:	S0022-510X(18)30130-8
DOI:	doi:10.1016/j.jns.2018.03.014
Reference:	JNS 15829
To appear in:	Journal of the Neurological Sciences
Received date:	12 July 2017
Revised date:	7 February 2018
Accepted date:	6 March 2018

Please cite this article as: Isao Hozumi, Hisaka Kurita, Kazuhiro Ozawa, Nobuyuki Furuta, Masatoshi Inden, Shin-ichiro Sekine, Megumi Yamada, Yuichi Hayashi, Akio Kimura, Takashi Inuzuka, Mitsuru Seishima, Inorganic phosphorus (Pi) in CSF is a biomarker for SLC20A2-associated idiopathic basal ganglia calcification (IBGC1). The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Jns(2018), doi:10.1016/j.jns.2018.03.014

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## **ACCEPTED MANUSCRIPT**

Inorganic phosphorus (Pi) in CSF is a biomarker for *SLC20A2*-associated idiopathic basal ganglia calcification (IBGC1)

Isao Hozumi<sup>a, \*</sup>, Hisaka Kurita<sup>a</sup>, Kazuhiro Ozawa<sup>b</sup>, Nobuyuki Furuta<sup>c</sup>, Masatoshi Inden<sup>a</sup>, Shin-ichiro Sekine<sup>a</sup>, Megumi Yamada<sup>d</sup>, Yuichi Hayashi<sup>d</sup>, Akio Kimura<sup>d</sup>, Takashi Inuzuka<sup>d</sup>, Mitsuru Seishima<sup>c</sup>

<sup>a</sup> Laboratory of Medical Therapeutics and Molecular Therapeutics, Gifu Pharmaceutical University,

1-25-4 Daigaku-nishi, Gifu, 501-1196, Japan

<sup>b</sup> Nursing Collaboration Center, Gifu College Nursing, 3047-1, Hashima, Gifu, 501-6295, Japan

- <sup>c</sup> Department of Informative Clinical Medicine, Gifu University, Graduate School of Medicine, 1-1 Yanagido Gifu 501-1194, Japan
- <sup>d</sup> Department of Neurology and Geriatrics, Gifu University, Graduate School of Medicine, 1-1 Yanagido Gifu 501-1194, Japan
- \* Correspondening author at: Laboratory of Medical Therapeutics and Molecular Therapeutics,
  Gifu Pharmaceutical University, 1-25-4 Daigaku-nishi, Gifu, 501-1196, Japan
  Emal address: hozumi@gifu-pu.ac.jp (I. Hozumi)

Tel & Fax: 81-58-230-8121

Download English Version:

## https://daneshyari.com/en/article/8272685

Download Persian Version:

https://daneshyari.com/article/8272685

Daneshyari.com