Accepted Manuscript

Title: *Tropomyosin 2* heterozygous knockout in mice using CRISPR-Cas9 system displays the inhibition of injury-induced epithelial-mesenchymal transition, and lens opacity

Authors: Teppei Shibata, Shinsuke Shibata, Yasuhito Ishigaki, Etsuko Kiyokawa, Masahito Ikawa, Dhirendra P. Singh, Hiroshi Sasaki, Eri Kubo

PII: S0047-6374(17)30287-7

DOI: https://doi.org/10.1016/j.mad.2018.03.001

Reference: MAD 11032

To appear in: Mechanisms of Ageing and Development

Received date: 23-11-2017 Revised date: 28-1-2018 Accepted date: 1-3-2018

Please cite this article as: Shibata, Teppei, Shibata, Shinsuke, Ishigaki, Yasuhito, Kiyokawa, Etsuko, Ikawa, Masahito, Singh, Dhirendra P., Sasaki, Hiroshi, Kubo, Eri, Tropomyosin 2 heterozygous knockout in mice using CRISPR-Cas9 system displays the inhibition of injury-induced epithelial-mesenchymal transition, and lens opacity. Mechanisms of Ageing and Development https://doi.org/10.1016/j.mad.2018.03.001

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Tropomyosin 2 heterozygous knockout in mice using CRISPR-Cas9 system displays the

inhibition of injury-induced epithelial-mesenchymal transition, and lens opacity

Teppei Shibata¹, Shinsuke Shibata¹, Yasuhito Ishigaki³, Etsuko Kiyokawa², Masahito Ikawa⁴,

1

Dhirendra P Singh⁵, Hiroshi Sasaki¹ and Eri Kubo¹

¹. Department of Ophthalmology, Kanazawa Medical University, Ishikawa, Japan

². Department of Oncogenic Pathology, Kanazawa Medical University, Ishikawa, Japan

³. Medical Research Institute, Kanazawa Medical University, Ishikawa, Japan

⁴. Research Institute for Microbial Diseases, Osaka University, Osaka, Japan

⁵. Department of Ophthalmology and Visual Sciences, University of Nebraska Medical Center,

Omaha, NE, USA

Short Title: Deficiency of Tropomyosin 2 leads to EMT and cataract

*CORRESPONDING AUTHOR:

Eri Kubo, M.D., Ph.D.

Professor of Ophthalmology, Department of Ophthalmology, Kanazawa Medical University,

1-1 Daigaku, Kahoku, Ishikawa 920-0293, Japan

E-mail: kuboe@kanazawa-med.ac.jp

TEL: +81-76-286-2211(Ext. 3412) FAX: +81-76-286-1010

Download English Version:

https://daneshyari.com/en/article/8284694

Download Persian Version:

https://daneshyari.com/article/8284694

<u>Daneshyari.com</u>