Accepted Manuscript

Product specificity of fungal 8*R*- and 9*S*-dioxygenases of the peroxidase-cyclooxygenase superfamily with amino acid derivatized polyenoic fatty acids

Ernst H. Oliw

PII: S0003-9861(17)30757-9

DOI: 10.1016/j.abb.2017.12.018


Reference: YABBI 7619

To appear in: Archives of Biochemistry and Biophysics

Received Date: 8 November 2017
Revised Date: 7 December 2017
Accepted Date: 22 December 2017

Please cite this article as: E.H. Oliw, Product specificity of fungal 8*R*- and 9*S*-dioxygenases of the peroxidase-cyclooxygenase superfamily with amino acid derivatized polyenoic fatty acids, *Archives of Biochemistry and Biophysics* (2018), doi: 10.1016/j.abb.2017.12.018.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Product specificity of fungal 8*R*- and 9*S*-dioxygenases of the peroxidase-cyclooxygenase superfamily with amino acid derivatized polyenoic fatty acids

by

Ernst H. Oliw^{*}

Division of Biochemical Pharmacology, Department of Pharmaceutical Biosciences, Uppsala University, Box 591, SE-751 24 Uppsala, Sweden.

Running title: Substrate orientation in dioxygenase domains

*To whom correspondence should be addressed: Division of Biochemical Pharmacology, Department of Pharmaceutical Biosciences, Uppsala University, Box 591, SE-751 24 Uppsala, Sweden. Telephone: +46 184714455; E-mail: Ernst.oliw@farmbio.uu.se

¹Abbreviations: AOS, allene oxide synthase(s); COX, cyclooxygenase(s); CYP, cytochrome(s) P450; DiHODE, dihydroxyoctadecadienoic acid; DiHOTrE, dihydroxyoctadecatrienoic acid; DOX, dioxygenase(s); LDS, linoleate diol synthase(s); LOX, lipoxygenase(s); SRS, substrate recognition site; TIC, total ion current; RP, reversed phase; TPP, triphenylphosphine. 8-H(P)ODE, 8-hydro(pero)xy-9Z,12Z-octadecadienoic acid; 16:3n-3-Gly, N-[7Z,10Z,113Z-hexadecatrienoyl]-S-glycine; 18:2n-6-Gly, N-[9Z,12Z-octadecadienoyl]-S-glycine, 18:2n-6-Ile, N-[9Z,12Z-octadecadienoyl]-S-isoleucine; 18:2n-6-Trp, N-[9Z,12Z-octadecadienoyl]-S-tryptophan; 18:3n-3-Gly, N-[9Z,12Z,15Z-octadecatrienoyl]-S-glycine; 18:3n-3-Ile, N-[9Z,12Z,15Z-octadecatrienoyl]-S-isoleucine; 18:3n-3-Trp, N-[9Z,12Z,15Z-octadecatrienoyl]-S-tryptophan 8-H(P)OTrE, 8-hydro(pero)xy-9Z,12Z,15Z-octadecatrienoic acid; 9-H(P)ODE, 9-hydro(pero)xy-10E,12Z-octadecadienoic acid; 12-H(P)OTrE, 12-hydro(pero)xy-9Z,112E,15Z-octadecatrienoic acid; 13-H(P)ODE, 13-hydro(pero)xy-9Z,11E-octadecatrienoic acid; 13-H(P)OTrE, hydro(pero)xy-9Z,11E,15Z-octadecatrienoic acid.

Download English Version:

https://daneshyari.com/en/article/8288781

Download Persian Version:

https://daneshyari.com/article/8288781

<u>Daneshyari.com</u>