## **Accepted Manuscript**

Bcl-2-associated athanogene 3 (BAG3) is an enhancer of small heat shock protein turnover via activation of autophagy in the heart

Yui Inomata, Shouta Nagasaka, Kazuki Miyate, Yuta Goto, Chizuru Hino, Chihiro Toukairin, Rieko Higashio, Kinji Ishida, Tomoyuki Saino, Masamichi Hirose, Hideki Tsumura, Atsushi Sanbe

PII: S0006-291X(18)30181-5

DOI: 10.1016/j.bbrc.2018.01.158

Reference: YBBRC 39331

To appear in: Biochemical and Biophysical Research Communications

Received Date: 19 January 2018

Accepted Date: 25 January 2018

Please cite this article as: Y. Inomata, S. Nagasaka, K. Miyate, Y. Goto, C. Hino, C. Toukairin, R. Higashio, K. Ishida, T. Saino, M. Hirose, H. Tsumura, A. Sanbe, Bcl-2-associated athanogene 3 (BAG3) is an enhancer of small heat shock protein turnover via activation of autophagy in the heart, *Biochemical and Biophysical Research Communications* (2018), doi: 10.1016/j.bbrc.2018.01.158.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## ACCEPTED MANUSCRIPT

Bcl-2-associated athanogene 3 (BAG3) is an enhancer of small heat shock protein turnover via activation of autophagy in the heart

Yui Inomata<sup>1</sup>, Shouta Nagasaka<sup>1</sup>, Kazuki Miyate<sup>1</sup>, Yuta Goto<sup>1</sup>, Chizuru Hino<sup>1</sup>, Chihiro Toukairin<sup>1</sup>, Rieko Higashio<sup>1</sup>, Kinji Ishida<sup>2</sup>, Tomoyuki Saino<sup>3</sup>, Masamichi Hirose<sup>4</sup>, Hideki Tsumura<sup>5</sup>, and Atsushi Sanbe<sup>1</sup>§

<sup>1</sup>Department of Pharmacotherapeutics, School of Pharmacy, Iwate Medical University, Iwate 028-3694, Japan <sup>2</sup>The Center for Electron Microscopy & Bio-imaging Research, Central Research Laboratories, Iwate Medical University, Morioka, Iwate 028-3694, Japan

<sup>3</sup>Department of Anatomy (Cell Biology), Iwate Medical University, Iwate 028-3694, Japan

<sup>4</sup>Department of Pharmacology, School of Pharmacy, Iwate Medical University, Iwate 028-3694, Japan

<sup>5</sup>Division of Laboratory Animal Resources, National Research Institute for Child Health and Development,

Tokyo 157-8535, Japan

§ To whom correspondence should be addressed: Department of Pharmacotherapeutics, School of Pharmacy, Iwate Medical University, 2-1-1 Nishitokuda Yahaba-cho, Siwa-gun, Iwate 028-3694, Japan

E-mail: asanbe@iwate-med.ac.jp

## Download English Version:

## https://daneshyari.com/en/article/8294453

Download Persian Version:

https://daneshyari.com/article/8294453

<u>Daneshyari.com</u>