Accepted Manuscript



FBW7 targets KLF10 for ubiquitin-dependent degradation

Su Yu, Feng Wang, Wei-Juan Pan, Yi Luan, Xin Ge

PII: S0006-291X(17)32364-1

DOI: 10.1016/j.bbrc.2017.11.187

Reference: YBBRC 38980

To appear in: *Biochemical and Biophysical Research Communications*

Received Date: 23 November 2017

Accepted Date: 28 November 2017

Please cite this article as: S. Yu, F. Wang, W.-J. Pan, Y. Luan, X. Ge, FBW7 targets KLF10 for ubiquitin-dependent degradation, *Biochemical and Biophysical Research Communications* (2017), doi: 10.1016/j.bbrc.2017.11.187.

FBW7 TARGETS KLF10 FOR UBIQUITIN-DEPENDENT DEGRADATION

Su Yu[2*], Feng Wang[1*], Wei-Juan Pan[2], Yi Luan[1#] and Xin Ge[1#]

1. Shanghai Tenth People's Hospital of Tongji University, Tongji University School of Medicine, Shanghai 200072, China
2. Shanghai Key Laboratory of Regulatory Biology, Institute of Biomedical Sciences and School of Life Sciences, East China Normal University, 500 Dongchuan Road, Shanghai, 200241, China

[#]To whom correspondence should be addressed: E-mail: Yi Luan: luanyi@tongji.edu.cn

Xin Ge: xin.ge@tongji.edu.cn