Accepted Manuscript

Membrane fluidization by alcohols inhibits DesK-DesR signalling in Bacillus subtilis

Biomembranes

Kateřina Vaňousová, Jana Beranová, Radovan Fišer, Malgorzata Jemioła-Rzemińska, Petra Matyska Lišková, Larisa Cybulski, Kazimierz Strzałka, Ivo Konopásek

PII: S0005-2736(17)30407-8

DOI: https://doi.org/10.1016/j.bbamem.2017.12.015

Reference: BBAMEM 82664

To appear in:

Received date: 6 April 2017

Revised date: 13 December 2017 Accepted date: 15 December 2017

Please cite this article as: Kateřina Vaňousová, Jana Beranová, Radovan Fišer, Malgorzata Jemioła-Rzemińska, Petra Matyska Lišková, Larisa Cybulski, Kazimierz Strzałka, Ivo Konopásek, Membrane fluidization by alcohols inhibits DesK-DesR signalling in Bacillus subtilis. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Bbamem(2017), https://doi.org/10.1016/j.bbamem.2017.12.015

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Title:

Membrane fluidization by alcohols inhibits DesK-DesR signalling in *Bacillus subtilis*

Authors:

Kateřina Vaňousová¹, Jana Beranová¹, Radovan Fišer¹, Malgorzata Jemioła-Rzemińska^{2,3}, Petra Matyska Lišková¹, Larisa Cybulski⁴, Kazimierz Strzałka^{2,3} and Ivo Konopásek^{1*}

¹Department of Genetics and Microbiology, Faculty of Science, Charles University, Viničná 5, 128 44,

Prague 2, Czech Republic

²Department of Plant Physiology and Biochemistry, Faculty of Biochemistry, Biophysics and Biotechnology, Jagiellonian University, Gronostajowa 7, 30 387 Krakow, Poland
³Malopolska Centre of Biotechnology, Jagiellonian University, Gronostajowa 7A, 30-387 Krakow, Poland

⁴ Departamento de Microbiología, Facultad de Ciencias Bioquímicas y Farmacéuticas, Suipacha 531, Universidad Nacional de Rosario, CONICET, 2000 Rosario, Argentina

Email adresses:

Kateřina Vaňousová: schromka@seznam.cz Jana Beranová: jana.beranova@natur.cuni.cz;

Radovan Fišer: fiserr@natur.cuni.cz

Malgorzata Jemioła-Rzemińska: malgorzata.jemiola-rzeminska@uj.edu.pl

Petra Matyska Lišková: liskova3@natur.cun.cz Larisa Cybulski: larisacybulski@gmail.com Kazimierz Strzałka: kazimierz.strzalka@uj.edu.pl

Ivo Konopásek*: ivo.konopasek@natur.cuni.cz *corresponding author

Abstract

After cold shock, the *Bacillus subtilis* desaturase Des introduces double bonds into the fatty acids of existing membrane phospholipids. The synthesis of Des is regulated exclusively by the two-component system DesK/DesR; DesK serves as a sensor of the state of the membrane and triggers Des synthesis after a decrease in membrane fluidity. The aim of our work is to investigate the biophysical changes in the membrane that are able to affect the DesK signalling state. Using linear alcohols (ethanol, propanol, butanol, hexanol, octanol) and benzyl alcohol, we were able to suppress Des synthesis after a temperature downshift. The changes in the biophysical properties of the membrane caused by alcohol addition were followed using membrane fluorescent probes and differential scanning calorimetry.

We found that the membrane fluidization induced by alcohols was reflected in an increased hydration at the lipid-water interface. This is associated with a decrease in DesK activity. The addition of alcohol mimics a temperature increase, which can be measured

Download English Version:

https://daneshyari.com/en/article/8299590

Download Persian Version:

https://daneshyari.com/article/8299590

<u>Daneshyari.com</u>