Ib-AMP4 insertion causes surface rearrangement in the phospholipid bilayer of biomembranes: Implications from quartz-crystal microbalance with dissipation

Xiaobo Fan, Agatha Korytowski, Ali Makky, Motomu Tanaka, Michael Wink

PII: S0005-2736(17)30343-7
DOI: doi:10.1016/j.bbamem.2017.10.025
Reference: BBAMEM 82625

To appear in:

Received date: 3 July 2017
Revised date: 24 October 2017
Accepted date: 25 October 2017

Please cite this article as: Xiaobo Fan, Agatha Korytowski, Ali Makky, Motomu Tanaka, Michael Wink , Ib-AMP4 insertion causes surface rearrangement in the phospholipid bilayer of biomembranes: Implications from quartz-crystal microbalance with dissipation. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Bbamem(2017), doi:10.1016/j.bbamem.2017.10.025

Ib-AMP4 insertion causes surface rearrangement in the phospholipid bilayer of biomembranes: implications from quartz-crystal microbalance with dissipation

Xiaobo Fan[1,2*], Agatha Korytowski[3], Ali Makky[3], Motomu Tanaka[3], Michael Wink[2*]

[1] Clinical Diagnostics Department, Medical School, Southeast University, Nanjing, China
[2] Institute of Pharmacy and Molecular Biotechnology, Heidelberg University, Germany
[3] Physical Chemistry Department, Heidelberg University, Germany

Running title: How do β-sheet antimicrobial peptides interact with the lipid bilayer?

*To whom correspondance should be addressed: Michael Wink, IPMB, Heidelberg University, 69120 Heidelberg, Germany, wink@uni-hd.de; Xiaobo Fan, Southeast University, China, 101011951@seu.edu.cn

Keywords: Lipid bilayer, membrane rearrangement, wrinkling, poring, antimicrobial peptide