

Accepted Manuscript

Macrovipecetin, a C-type lectin from *Macrovipera lebetina* venom, inhibits proliferation migration and invasion of SK-MEL-28 human melanoma cells and enhances their sensitivity to cisplatin

Manel B. Hammouda, Ichrak Riahi-Chebbi, Soumaya Souid, Houcemeddine Othman, Zohra Aloui, Najet Srairi-Abid, Habib Karoui, Ammar Gasmi, Edith M. Magnenat, Timothy N.C. Wells, Kenneth J. Clemetson, José Neptuno Rodríguez-López, Khadija Essafi-Benkhadir



PII: S0304-4165(17)30385-9
DOI: doi:[10.1016/j.bbagen.2017.11.019](https://doi.org/10.1016/j.bbagen.2017.11.019)
Reference: BBAGEN 28995

To appear in:

Received date: 4 July 2017
Revised date: 5 October 2017
Accepted date: 27 November 2017

Please cite this article as: Manel B. Hammouda, Ichrak Riahi-Chebbi, Soumaya Souid, Houcemeddine Othman, Zohra Aloui, Najet Srairi-Abid, Habib Karoui, Ammar Gasmi, Edith M. Magnenat, Timothy N.C. Wells, Kenneth J. Clemetson, José Neptuno Rodríguez-López, Khadija Essafi-Benkhadir , Macrovipecetin, a C-type lectin from *Macrovipera lebetina* venom, inhibits proliferation migration and invasion of SK-MEL-28 human melanoma cells and enhances their sensitivity to cisplatin. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Bbagen(2017), doi:[10.1016/j.bbagen.2017.11.019](https://doi.org/10.1016/j.bbagen.2017.11.019)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Macrovipecetin, a C-type lectin from *Macrovipera lebetina* venom, inhibits proliferation migration and invasion of SK-MEL-28 human melanoma cells and enhances their sensitivity to cisplatin

Manel B. Hammouda^{1,2,3}, Ichrak Riahi-Chebbi^{1,2}, Soumaya Souid^{1,2}, Houcemeddine Othman^{2,4}, Zohra Aloui^{1,2}, Najet Srairi-Abid^{2,4}, Habib Karoui^{1,2}, Ammar Gasmi^{1,2†}, Edith M. Magnenat⁵, Timothy N. C. Wells^{5‡}, Kenneth J. Clemetson⁶, José Neptuno Rodríguez-López^{3*} and Khadija Essafi-Benkhadir^{1,2*}

¹Institut Pasteur de Tunis, LR11IPT04 Laboratoire d'Epidémiologie Moléculaire et Pathologie Expérimentale Appliquée Aux Maladies Infectieuses, 1002, Tunis, Tunisia.

²Université de Tunis El Manar, 1068, Tunis, Tunisia.

³Department of Biochemistry and Molecular Biology A, School of Biology, IMIB, University of Murcia, 30100 Espinardo, Murcia, Spain.

⁴Institut Pasteur de Tunis, LR11IPT08 Laboratoire des Venins et Biomolécules thérapeutiques, 1002, Tunisia.

⁵Serono Pharmaceutical Research Institute SA, 14, chemin des Aulx, CH-1228 Plan-les-Ouates, Geneva, Switzerland.

⁶Department of Clinical Research/Haematology, University of Berne, Inselspital, Murtenstrasse 40, CH-3008 Berne, Switzerland.

† In memoriam

‡Present address: Medicines for Malaria Venture, 20 route des Pre-Bois, CH-1215 Geneva, Switzerland

*Correspondence: essafi.khadija@pasteur.rns.tn (K.E.-B.); Tel.: +216-71-841-203 (K.E.-B.)
neptuno@um.es (J.N.R.-L.); Tel.: +34-868-888-284 (J.N.R.-L.).

Download English Version:

<https://daneshyari.com/en/article/8300913>

Download Persian Version:

<https://daneshyari.com/article/8300913>

[Daneshyari.com](https://daneshyari.com)