Accepted Manuscript

Crystal structure and functional characterization of selenocysteine-containing glutathione peroxidase 4 suggests an alternative mechanism of peroxide reduction



Astrid Borchert, Jacqueline Kalms, Sophia R. Roth, Marlena Rademacher, Andrea Schmidt, Hermann-Georg Holzhutter, Hartmut Kuhn, Patrick Scheerer

PII:	S1388-1981(18)30127-6
DOI:	doi:10.1016/j.bbalip.2018.06.006
Reference:	BBAMCB 58311
To appear in:	BBA - Molecular and Cell Biology of Lipids
Received date:	21 February 2018
Revised date:	9 May 2018
Accepted date:	3 June 2018

Please cite this article as: Astrid Borchert, Jacqueline Kalms, Sophia R. Roth, Marlena Rademacher, Andrea Schmidt, Hermann-Georg Holzhutter, Hartmut Kuhn, Patrick Scheerer, Crystal structure and functional characterization of selenocysteine-containing glutathione peroxidase 4 suggests an alternative mechanism of peroxide reduction. Bbamcb (2018), doi:10.1016/j.bbalip.2018.06.006

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Crystal structure and functional characterization of selenocysteine-containing glutathione peroxidase 4 suggests an alternative mechanism of peroxide reduction

Astrid Borchert ^{a,1}, Jacqueline Kalms ^{b,1, c}, Sophia R. Roth ^a, Marlena Rademacher ^a, Andrea Schmidt ^b, Hermann-Georg Holzhutter ^a, Hartmut Kuhn ^{a,2}, and Patrick Scheerer ^{b,2}

^a Charité – Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt-Universität zu Berlin, and Berlin Institute of Health, Institut für Biochemie (CC2), Charitéplatz 1, D-10117 Berlin, Germany;

^b Charité – Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt-Universität zu Berlin, and Berlin Institute of Health, Institut für Medizinische Physik und Biophysik (CC2), Group Protein X-ray Crystallography and Signal Transduction, Charitéplatz 1, D-10117 Berlin, Germany;

¹ the author contributes equally

° present address: University of Leicester, Leicester Institute of Structural and Chemical Biology, Henry Wellcome Building, Lancaster Rd, Leicester, LE1 7HB, UK

Running head: selenocysteine-containing glutathione peroxidase 4

Key words:selenocysteine, anti-oxidative defense, eicosanoids, radicals, crystal
structure, reaction mechanism

Data deposition: The atomic coordinates and structure factors (PDB entry 6ELW) have been deposited in the Protein Data Bank (http://wwpdb.org/).

²To whom correspondence should be addressed:

Prof. Dr. H. Kuhn, Institute of Biochemistry (CC2), Charité – Universitätsmedizin Berlin, Charitéplatz 1, D-10117 Berlin, Germany, E-mail: hartmut.kuhn@charite.de and

Dr. P. Scheerer, Institute of Medical Physics and Biophysics (CC2), Group Protein X-ray Crystallography and Signal Transduction, Charité – Universitätsmedizin Berlin, Charitéplatz 1, 10117 Berlin, Germany, E-mail: patrick.scheerer@charite.de. Download English Version:

https://daneshyari.com/en/article/8301271

Download Persian Version:

https://daneshyari.com/article/8301271

Daneshyari.com