Accepted Manuscript

Angiotensin (1–7) does not interact directly with MAS1, but can potently antagonize signaling from the AT1 receptor

Ibragim Gaidarov, John Adams, John Frazer, Todd Anthony, Xiaohua Chen, Joel Gatlin, Graeme Semple, David J. Unett

PII: S0898-6568(18)30127-X

DOI: doi:10.1016/j.cellsig.2018.06.007


Reference: CLS 9129

To appear in: Cellular Signalling

Received date: 10 April 2018 Revised date: 15 June 2018 Accepted date: 16 June 2018

Please cite this article as: Ibragim Gaidarov, John Adams, John Frazer, Todd Anthony, Xiaohua Chen, Joel Gatlin, Graeme Semple, David J. Unett, Angiotensin (1–7) does not interact directly with MAS1, but can potently antagonize signaling from the AT1 receptor. Cls (2018), doi:10.1016/j.cellsig.2018.06.007

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Angiotensin (1-7) does not interact directly with MAS1, but can potently antagonize signaling from the AT1 Receptor.

Ibragim Gaidarov¹, John Adams², John Frazer¹, Todd Anthony¹, Xiaohua Chen¹, Joel Gatlin², Graeme Semple¹ and David J. Unett¹

¹Beacon Discovery, 6118 Nancy Ridge Drive, San Diego, CA 92121, USA

²Arena Pharmaceuticals, 6154 Nancy Ridge Drive, San Diego, CA 92121, USA

Corresponding author:

Ibragim Gaidarov, PhD

Beacon Discovery, Inc.

6118 Nancy Ridge Drive

San Diego, CA 92121

Phone: (858) 247-0001

E-mail: igaidarov@beacondiscovery.com

Download English Version:

https://daneshyari.com/en/article/8308449

Download Persian Version:

https://daneshyari.com/article/8308449

<u>Daneshyari.com</u>