

Site-specific O-glycosylation of N-terminal serine residues by polypeptide GalNAc-transferase 2 modulates human δ-opioid receptor turnover at the plasma membrane

Jarkko J. Lackman, Christoffer K. Goth, Adnan Halim, Sergey Y. Vakhrushev, Henrik Clausen, Ulla E. Petäjä-Repo

PII:	S0898-6568(17)30285-1
DOI:	doi:10.1016/j.cellsig.2017.10.016
Reference:	CLS 9024
To appear in:	*Cellular Signalling*
Received date:	29 June 2017
Revised date:	26 October 2017
Accepted date:	27 October 2017

Please cite this article as: Jarkko J. Lackman, Christoffer K. Goth, Adnan Halim, Sergey Y. Vakhrushev, Henrik Clausen, Ulla E. Petäjä-Repo , Site-specific O-glycosylation of N-terminal serine residues by polypeptide GalNAc-transferase 2 modulates human δ-opioid receptor turnover at the plasma membrane. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Cls(2017), doi:10.1016/j.cellsig.2017.10.016

Site-specific *O*-glycosylation of N-terminal serine residues by polypeptide GalNAc-transferase 2 modulates human δ-opioid receptor turnover at the plasma membrane

Jarkko J. Lackman[a], Christoffer K. Goth[b], Adnan Halim[b], Sergey Y Vakhrushev[b], Henrik Clausen[b], Ulla E. Petäjä-Repo[a,*]

[a]Medical Research Center Oulu, Research Unit of Biomedicine, University of Oulu, FI-90014, Oulu, Finland

[b]Copenhagen Center for Glycomics, Department of Cellular and Molecular Medicine, Faculty of Health Sciences, University of Copenhagen, DK-2200 Copenhagen N, Denmark

*Corresponding author at: Medical Research Center Oulu and Research Unit of Biomedicine, University of Oulu, P.O.Box 5000, FI-90014, Oulu, Finland, E-mail: ulla.petaja-repo@oulu.fi