

## Accepted Manuscript

Pancreatic lipase activity in overnight effluent predicts high transport status in peritoneal dialysis patients

Mayumi Idei MD, PhD, Yoko Tabe MD, PhD, Chieko Hamada MD, PhD, Kazunori Miyake MD, PhD, Hiroyuki Takemura, Hiroaki Io MD, PhD, Mitsuru Wakita, Takashi Horii, Yasuhiko Tomino MD, PhD, Akimichi Ohsaka MD, PhD, Takashi Miida MD, PhD

PII: S0009-8981(16)30347-3  
DOI: doi: [10.1016/j.cca.2016.08.009](https://doi.org/10.1016/j.cca.2016.08.009)  
Reference: CCA 14471

To appear in: *Clinica Chimica Acta*

Received date: 28 December 2015  
Revised date: 1 August 2016  
Accepted date: 12 August 2016

Please cite this article as: Idei Mayumi, Tabe Yoko, Hamada Chieko, Miyake Kazunori, Takemura Hiroyuki, Io Hiroaki, Wakita Mitsuru, Horii Takashi, Tomino Yasuhiko, Ohsaka Akimichi, Miida Takashi, Pancreatic lipase activity in overnight effluent predicts high transport status in peritoneal dialysis patients, *Clinica Chimica Acta* (2016), doi: [10.1016/j.cca.2016.08.009](https://doi.org/10.1016/j.cca.2016.08.009)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Pancreatic lipase activity in overnight effluent predicts high transport status in peritoneal dialysis patients**

Mayumi Idei, MD, PhD<sup>1\*</sup>, Yoko Tabe, MD, PhD<sup>1</sup>, Chieko Hamada, MD, PhD<sup>2</sup>, Kazunori Miyake, MD, PhD<sup>1</sup>, Hiroyuki Takemura<sup>3</sup>, Hiroaki Io, MD, PhD<sup>2</sup>, Mitsuru Wakita<sup>3</sup>, Takashi Horii<sup>3</sup>, Yasuhiko Tomino, MD, PhD<sup>2</sup>, Akimichi Ohsaka, MD, PhD<sup>3</sup>, Takashi Miida, MD, PhD

<sup>1</sup>

Author Affiliations

Departments of <sup>1</sup>.Clinical Laboratory Medicine, <sup>2</sup>Nephrology and <sup>3</sup>Clinical Laboratory, Juntendo University Graduate School of Medicine, Hongo 2-1-1, Bunkyo-ku, Tokyo 113-8421, Japan

Correspondence: Mayumi Idei, Department of Clinical Laboratory Medicine, Juntendo University Graduate School of Medicine, Hongo 2-1-1, Bunkyo-ku, Tokyo 113-8421, Japan  
TEL: +81-3-3813-3111 (ext 5187) FAX: +81-3-5804-8637. E-mail: [midei@juntendo.ac.jp](mailto:midei@juntendo.ac.jp)

**List of abbreviations**

PD, peritoneal dialysis; PET, peritoneal equilibration test; D/P, dialysate/plasma ratio  
D/P Cr 4h, dialysate/plasma ratio of creatinine at 4 h dwell; EPS, encapsulating peritoneal sclerosis; RAS, renin angiotensin system; CAPD, continuous ambulatory peritoneal dialysis  
APD, automated peritoneal dialysis; CCPD, continuous cycling peritoneal dialysis  
NIPD, nightly intermittent peritoneal dialysis; PE, peritoneal effluent

Download English Version:

<https://daneshyari.com/en/article/8309840>

Download Persian Version:

<https://daneshyari.com/article/8309840>

[Daneshyari.com](https://daneshyari.com)