

Accepted Manuscript

Development of a rapid and sensitive one-step reverse transcription-nested polymerase chain reaction in a single tube using the droplet-polymerase chain reaction machine

Akemi Yamaguchi, Kazuyuki Matsuda, Akane Sueki, Chiaki Taira, Masayuki Uehara, Yasunori Saito, Takayuki Honda

PII: S0009-8981(15)00325-3
DOI: doi: [10.1016/j.cca.2015.07.003](https://doi.org/10.1016/j.cca.2015.07.003)
Reference: CCA 14026

To appear in: *Clinica Chimica Acta*

Received date: 1 June 2015
Accepted date: 2 July 2015

Please cite this article as: Yamaguchi Akemi, Matsuda Kazuyuki, Sueki Akane, Taira Chiaki, Uehara Masayuki, Saito Yasunori, Honda Takayuki, Development of a rapid and sensitive one-step reverse transcription-nested polymerase chain reaction in a single tube using the droplet-polymerase chain reaction machine, *Clinica Chimica Acta* (2015), doi: [10.1016/j.cca.2015.07.003](https://doi.org/10.1016/j.cca.2015.07.003)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Development of a rapid and sensitive one-step reverse transcription-nested
polymerase chain reaction in a single tube using the droplet-polymerase chain
reaction machine**

Akemi Yamaguchi ^{a, b}, Kazuyuki Matsuda ^{c,*}, Akane Sueki ^c, Chiaki Taira ^c, Masayuki
Uehara ^b, Yasunori Saito ^d and Takayuki Honda ^c

^a Graduate School of Science and Technology, Shinshu University, Nagano, Japan

^b Core Technology Development Center, Seiko Epson Corporation, Suwa, Japan

^c Department of Laboratory Medicine, Shinshu University Hospital, Matsumoto, Japan

^d Institute of Engineering, Academic Assembly, Shinshu University, Nagano, Japan

*** Corresponding author:**

Kazuyuki Matsuda, Ph.D.

Department of Laboratory Medicine, Shinshu University Hospital, Asahi 3-1-1,

Matsumoto 390-8621, Japan

Tel.: +80-263-37-2802

Fax: +80-263-34-5316

Download English Version:

<https://daneshyari.com/en/article/8310594>

Download Persian Version:

<https://daneshyari.com/article/8310594>

[Daneshyari.com](https://daneshyari.com)