


Accepted Manuscript

Bilirubin concentration is positively associated with haemoglobin concentration and inversely associated with albumin to creatinine ratio among indigenous Australians: eGFR study

J.T. Hughes, F. Barzi, W.E. Hoy, G.R.D. Jones, G. Rathnayake, S.W. Majoni, M. Thomas, A. Sinha, A. Cass, R.J. MacIsaac, K. O'Dea, L.J. Maple-Brown



PII: S0009-9120(17)30349-1
DOI: doi: [10.1016/j.clinbiochem.2017.08.011](https://doi.org/10.1016/j.clinbiochem.2017.08.011)
Reference: CLB 9600

To appear in: *Clinical Biochemistry*

Received date: 12 April 2017
Revised date: 14 August 2017
Accepted date: 19 August 2017

Please cite this article as: J.T. Hughes, F. Barzi, W.E. Hoy, G.R.D. Jones, G. Rathnayake, S.W. Majoni, M. Thomas, A. Sinha, A. Cass, R.J. MacIsaac, K. O'Dea, L.J. Maple-Brown, Bilirubin concentration is positively associated with haemoglobin concentration and inversely associated with albumin to creatinine ratio among indigenous Australians: eGFR study, *Clinical Biochemistry* (2017), doi: [10.1016/j.clinbiochem.2017.08.011](https://doi.org/10.1016/j.clinbiochem.2017.08.011)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Bilirubin concentration is positively associated with haemoglobin concentration and inversely associated with albumin to creatinine ratio among Indigenous Australians: eGFR Study

Hughes, JT^{1,2}, F Barzi¹, WE Hoy³, GRD Jones⁴, G Rathnayake^{5,6}, SW Majoni^{1,2,7}, M Thomas⁸, A Sinha⁹, A Cass¹, RJ Maclsaac^{10,11}, K O'Dea¹², LJ Maple-Brown^{1,2}

Affiliations

- 1 Menzies School of Health Research, Charles Darwin University, Darwin, Northern Territory, Australia
- 2 Department of Medicine, Royal Darwin Hospital, Darwin, Northern Territory, Australia
- 3 Centre for Chronic Disease, The University of Queensland, Australia
- 4 SydPath, St Vincent's Hospital, Sydney, Australia
- 5 Territory Pathology, Department of Health, Northern Territory Government, Australia.
- 6 Department of Pathology, Monash Medical Centre, Clayton, Victoria, Australia
- 7 Flinders University Medical School, Northern Territory Medical Program, Darwin, Australia
- 8 Royal Perth Hospital, Perth, Australia
- 9 Cairns Base Hospital and Diabetes Centre, Cairns, Australia
- 10 Department of Medicine, University of Melbourne, Victoria, Australia
- 11 Department of Endocrinology and Diabetes, St Vincent's Hospital Melbourne, Victoria, Australia
- 12 Centre for Population Health Research, University of South Australia

Corresponding author: Jaquelyne T Hughes, PhD
Menzies School of Health Research
Charles Darwin University
Casuarina, NT 0810, AUSTRALIA

Telephone: +61(0)8 89228196
FAX: +61(0)8 89275187
Email: Jaqui.hughes@menzies.edu.au

Download English Version:

<https://daneshyari.com/en/article/8317109>

Download Persian Version:

<https://daneshyari.com/article/8317109>

[Daneshyari.com](https://daneshyari.com)