## Accepted Manuscript

RANKL, Ephrin-Eph and Wnt10b are key intercellular communication molecules regulating bone remodeling in autologous transplanted goldfish scales



Yuya Tazaki, Kayo Sugitani, Kazuhiro Ogai, Isao Kobayashi, Haruki Kawasaki, Takafumi Aoyama, Nobuo Suzuki, Yoshiaki Tabuchi, Atsuhiko Hattori, Kei-ichiro Kitamura

| PII:           | S1095-6433(18)30088-6                           |
|----------------|---|
| DOI:           | doi:10.1016/j.cbpa.2018.06.011                  |
| Reference:     | CBA 10348                                       |
| To appear in:  | Comparative Biochemistry and Physiology, Part A |
| Received date: | 12 March 2018                                   |
| Revised date:  | 28 May 2018                                     |
| Accepted date: | 1 June 2018                                     |
|                |   |

Please cite this article as: Yuya Tazaki, Kayo Sugitani, Kazuhiro Ogai, Isao Kobayashi, Haruki Kawasaki, Takafumi Aoyama, Nobuo Suzuki, Yoshiaki Tabuchi, Atsuhiko Hattori, Kei-ichiro Kitamura , RANKL, Ephrin-Eph and Wnt10b are key intercellular communication molecules regulating bone remodeling in autologous transplanted goldfish scales. Cba (2018), doi:10.1016/j.cbpa.2018.06.011

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## ACCEPTED MANUSCRIPT

## RANKL, Ephrin-Eph and Wnt10b are key intercellular communication molecules regulating bone remodeling in autologous transplanted goldfish scales

Yuya Tazaki<sup>1</sup>, Kayo Sugitani<sup>2</sup>, Kazuhiro Ogai<sup>3</sup>, Isao Kobayashi<sup>4</sup>, Haruki Kawasaki<sup>2</sup>, Takafumi Aoyama<sup>2</sup>, Nobuo Suzuki<sup>5</sup>, Yoshiaki Tabuchi<sup>6</sup>, Atsuhiko Hattori<sup>7</sup>, and Kei-ichiro Kitamura<sup>2\*</sup>

<sup>1</sup>Clinical Laboratory, Kanazawa University Hospital, Takara-machi Kanazawa Ishikawa 920-8641, Japan

<sup>2</sup>Department of Clinical Laboratory Science, Graduate School of Medical Science, Kanazawa University, 5-11-80 Kodatsuno, Kanazawa, Ishikawa 920-0942, Japan

<sup>3</sup>Wellness Promotion Science Center, Institute of Medical, Pharmaceutical and Health Sciences, Kanazawa University, 5-11-80 Kodatsuno, Kanazawa, Ishikawa 920-0942, Japan

<sup>4</sup>Faculty of Biological Science and Technology, Institute of Science and Engineering, Kanazawa University, Kakuma Kanazawa, Ishikawa 920-1192, Japan

<sup>5</sup>Noto Marine Laboratory, Institute of Nature and Environmental Technology, Kanazawa University, Noto-cho, Ishikawa 927-0553, Japan

<sup>6</sup>Division of Molecular Genetics Research, Life Science Research Center, University of Toyama, Sugitani, Toyama 930-0194, Japan

<sup>7</sup>College of Liberal Arts and Sciences, Tokyo Medical and Dental University, Ichikawa, Chiba 272-0827, Japan

\*Correspondence to: Dr. K. Kitamura, Department of Clinical Laboratory Science, Graduate School of Medical Science, Kanazawa University, 5-11-80 Kodatsuno, Kanazawa, Ishikawa 920-0942, Japan

Tel.: 81-76-265-2595; Fax: 81-76-234-4369; e-mail: kkitamur@staff.kanazawa-u.ac.jp

Download English Version:

## https://daneshyari.com/en/article/8318044

Download Persian Version:

https://daneshyari.com/article/8318044

Daneshyari.com