Genotoxic effects of BnSP-6, a Lys-49 phospholipase A2 (PLA2) homologue from Bothrops pauloensis snake venom, on MDA-MB-231 breast cancer cells

Makswell Almeida Silva, Daiana Silva Lopes, Samuel Cota Teixeira, Sarah Natalie Cirilo Gimenes, Fernanda Van Petten Vasconcelos Azevedo, Lorena Polloni, Bruna Cristina Borges, Marcelo Santos da Silva, Marcelo José Barbosa, Robson José de Oliveira Júnior, Maria Carolina Elias, Claudio Vieira da Silva, Kelly Aparecida Geraldo Yoneyama, Veridiana de Melo Rodrigues, Renata Santos Rodrigues

PII: S0141-8130(18)30465-3
DOI: doi:10.1016/j.ijbiomac.2018.06.082
Reference: BIOMAC 9922

To appear in: *International Journal of Biological Macromolecules*

Received date: 28 January 2018
Revised date: 14 June 2018
Accepted date: 15 June 2018

Please cite this article as: Makswell Almeida Silva, Daiana Silva Lopes, Samuel Cota Teixeira, Sarah Natalie Cirilo Gimenes, Fernanda Van Petten Vasconcelos Azevedo, Lorena Polloni, Bruna Cristina Borges, Marcelo Santos da Silva, Marcelo José Barbosa, Robson José de Oliveira Júnior, Maria Carolina Elias, Claudio Vieira da Silva, Kelly Aparecida Geraldo Yoneyama, Veridiana de Melo Rodrigues, Renata Santos Rodrigues , Genotoxic effects of BnSP-6, a Lys-49 phospholipase A2 (PLA2) homologue from Bothrops pauloensis snake venom, on MDA-MB-231 breast cancer cells. Biomac (2018), doi:10.1016/j.ijbiomac.2018.06.082

Genotoxic effects of BnSP-6, a Lys-49 phospholipase A_2 (PLA_2) homologue from *Bothrops pauloensis* snake venom, on MDA-MB-231 breast cancer cells

Makswell Almeida Silva[1]#, Daiana Silva Lopes[1]#, Samuel Cota Teixeira[2]#, Sarah Natalie Cirilo Gimenes[1], Fernanda Van Petten Vasconcelos Azevedo[1]; Lorena Polloni[3], Bruna Cristina Borges[4], Marcelo Santos da Silva[5], Marcelo José Barbosa[4], Robson José de Oliveira Júnior[3], Maria Carolina Elias[5], Claudio Vieira da Silva[2], Kelly Aparecida Geraldo Yoneyama[1], Veridiana de Melo Rodrigues[1]*, Renata Santos Rodrigues[1]*

[1]Laboratory of Biochemistry and Animal Toxins, Institute of Biotechnology, Federal University of Uberlandia, UFU, Uberlandia-MG, Brazil;

[2]Laboratory of Trypanosomatids, Department of Immunology, Biomedical Sciences

Institute, Federal University of Uberlandia, UFU, Uberlandia-MG, Brazil;

[3]Laboratory of Cytogenetics animal, Genetics and Biochemistry Institute, Federal

University of Uberlandia, UFU, Uberlandia-MG, Brazil;

[4]Laboratory of Tumor Biomarkers and Osteoimmunology, Biomedical Sciences Institute, Federal University of Uberlandia, UFU, Uberlandia-MG, Brazil;

[5]Center of Toxins, Immune Response and Cell Signaling (CeTICS), Butantan Institute, São Paulo-SP, Brazil.

#These authors contributed equally to this work

*Corresponding author: Renata Santos Rodrigues and Veridiana de Melo Rodrigues

E-mail: renata.rodrigues@ufu.br / veridiana@ufu.br

Phone: +55 34-3225-8436 r 22 Fax: +55 34-3225-8436 r 24.

Laboratory address: Para Avenue, 1720. CEP: 38400-902. Uberlandia-MG, Brazil.