

## Accepted Manuscript

Probing the potency of triazole tethered Schiff base complexes and the effect of substituents on their biological attributes

Ponnukalai Ponya Utthra, Natarajan Raman



PII: S0141-8130(18)31132-2

DOI: [doi:10.1016/j.ijbiomac.2018.05.009](https://doi.org/10.1016/j.ijbiomac.2018.05.009)

Reference: BIOMAC 9610

To appear in:

Received date: 9 March 2018

Revised date: 21 April 2018

Accepted date: 2 May 2018

Please cite this article as: Ponnukalai Ponya Utthra, Natarajan Raman , Probing the potency of triazole tethered Schiff base complexes and the effect of substituents on their biological attributes. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Biomac(2017), doi:[10.1016/j.ijbiomac.2018.05.009](https://doi.org/10.1016/j.ijbiomac.2018.05.009)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Probing the potency of triazole tethered Schiff base complexes and the effect of substituents on their biological attributes

Ponnukalai Ponya Utthra<sup>a</sup> and Natarajan Raman<sup>a\*</sup>

<sup>a\*</sup>Research Department of Chemistry, VHNSN College, Virudhunagar-626 001, India

E-mail: ramchem1964@gmail.com; Tel.: +091-092451-65958; Fax: +091-4562-281338

### Abstract

Two triazole-derived Schiff base ligands and their eight octahedral metal(II) complexes were designed and synthesized. They were characterized by elemental analysis and various spectroscopic techniques. The compounds were evaluated for their DNA binding tendencies with Calf thymus DNA. The concentration dependent chemical nuclease activity was also explored with supercoiled pBR322 DNA. The *in vitro* antimicrobial screening was undertaken which showed similar activity to the DNA binding studies. Complex **5** revealed exceptional DNA binding affinity, cleaving propensity and antimicrobial efficacy though all the complexes showed activity. All copper(II) complexes were evaluated for their antiproliferative activity against a panel of human cancer cell lines. Complexes **1** and **5** showed activity against all the cell lines with low toxicity towards normal cell line. The effect of substituents on the ligand system of the complexes is also discussed along with the importance of tuning the ligand system.

**Keywords:** Triazole analogues; DNA interactions; Cytotoxicity.

Download English Version:

<https://daneshyari.com/en/article/8327041>

Download Persian Version:

<https://daneshyari.com/article/8327041>

[Daneshyari.com](https://daneshyari.com)