Differences in water soluble non-digestible polysaccharides and anti-inflammatory activities of fruiting bodies from two cultivated Xylaria nipripes strains

Ching-Fu Chen, Chun-Han Su, Ming-Nan Lai, Lean-Teik Ng

PII: S0141-8130(18)30179-X
DOI: doi:10.1016/j.ijbiomac.2018.05.047
Reference: BIOMAC 9648

To appear in:

Received date: 11 January 2018
Revised date: 8 May 2018
Accepted date: 9 May 2018

Please cite this article as: Ching-Fu Chen, Chun-Han Su, Ming-Nan Lai, Lean-Teik Ng , Differences in water soluble non-digestible polysaccharides and anti-inflammatory activities of fruiting bodies from two cultivated Xylaria nipripes strains. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Biomac(2017), doi:10.1016/j.ijbiomac.2018.05.047

Differences in water soluble non-digestible polysaccharides and anti-inflammatory activities of fruiting bodies from two cultivated *Xylaria nipripes* strains

Ching-Fu Chen[a], Chun-Han Su[a], Ming-Nan Lai[b], Lean-Teik Ng[a,*]

[a] Department of Agricultural Chemistry, National Taiwan University, Taipei, Taiwan

[b] Kang Jian Biotech Co., Ltd., Nantou, Taiwan

*Corresponding author: Lean-Teik Ng, Department of Agricultural Chemistry, National Taiwan University, No.1, Sec. 4, Roosevelt Road, Taipei, Taiwan; Tel: 886-2-33664804; Fax: 886-2-33669907; E-mail: nglt97@ntu.edu.tw