

Accepted Manuscript

Supplementing capsaicin with chitosan-based films enhanced the anti-quorum sensing, antimicrobial, antioxidant, transparency, elasticity and hydrophobicity

Lalehan Akyuz, Murat Kaya, Muhammad Mujtaba, Sedef Ilk, Idris Sargin, Asier M. Salaberria, Jalel Labidi, Yavuz S. Cakmak, Cemil Islek



PII: S0141-8130(18)30913-9
DOI: doi:[10.1016/j.ijbiomac.2018.04.040](https://doi.org/10.1016/j.ijbiomac.2018.04.040)
Reference: BIOMAC 9448

To appear in:

Received date: 25 February 2018
Revised date: 22 March 2018
Accepted date: 4 April 2018

Please cite this article as: Lalehan Akyuz, Murat Kaya, Muhammad Mujtaba, Sedef Ilk, Idris Sargin, Asier M. Salaberria, Jalel Labidi, Yavuz S. Cakmak, Cemil Islek , Supplementing capsaicin with chitosan-based films enhanced the anti-quorum sensing, antimicrobial, antioxidant, transparency, elasticity and hydrophobicity. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Biomac(2017), doi:[10.1016/j.ijbiomac.2018.04.040](https://doi.org/10.1016/j.ijbiomac.2018.04.040)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Supplementing capsaicin with chitosan-based films enhanced the anti-quorum sensing, antimicrobial, antioxidant, transparency, elasticity and hydrophobicity

Lalehan Akyuz^{a,*}, Murat Kaya^b, Muhammad Mujtaba^{b, f}, Sedef Ilk^c, Idris Sargin^b, Asier M. Salaberria^d, Jalel Labidi^d, Yavuz S. Cakmak^b, Cemil Islek^e

^a Aksaray University, Technical Vocational School, Department of Chemistry Technology, 68100, Aksaray, Turkey

^b Aksaray University, Faculty of Science and Letters, Department of Biotechnology and Molecular Biology, 68100 Aksaray, Turkey

^c Central Laboratory Research Center, Ömer Halisdemir University, 51240 Niğde, Turkey

^d Biorefinery Processes Research Group, Department of Chemical and Environmental Engineering, University of the Basque Country (UPV/EHU), Plaza Europa 1, 20018 Donostia-San Sebastian, Spain

^e Faculty of Ayhan Şahenk Agricultural Sciences and Technologies, Ömer Halisdemir University, 51240 Niğde, Turkey

^f Institute of Biotechnology, Ankara University, Ankara 06110, Turkey

* Corresponding Author

Aksaray University, Technical Vocational School, Department of Chemistry Technology, 68100, Aksaray, Turkey.

E-mail: lale_akyuz@hotmail.com

Tel: +90-382-288-2517

Fax: +90-382-288-2529

Download English Version:

<https://daneshyari.com/en/article/8327272>

Download Persian Version:

<https://daneshyari.com/article/8327272>

[Daneshyari.com](https://daneshyari.com)