

Accepted Manuscript

Acetonitrile as solvent

Tsutomu Arakawa



PII: S0141-8130(18)30841-9  
DOI: doi:[10.1016/j.ijbiomac.2018.03.174](https://doi.org/10.1016/j.ijbiomac.2018.03.174)  
Reference: BIOMAC 9396

To appear in:

Received date: 20 February 2018  
Revised date: 23 February 2018  
Accepted date: 28 March 2018

Please cite this article as: Tsutomu Arakawa , Acetonitrile as solvent. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Biomac(2017), doi:[10.1016/j.ijbiomac.2018.03.174](https://doi.org/10.1016/j.ijbiomac.2018.03.174)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Acetonitrile as solvent**

**Tsutomu Arakawa**

**Alliance Protein Laboratories, a Division of KBI Biopharma**

Address correspondences to Tsutomu Arakawa, Alliance Protein Laboratories, a Division of KBI Biopharma, 6042 Cornerstone Court West, San Diego, CA 92121

Email, [tarakawa@kbiopharma.com](mailto:tarakawa@kbiopharma.com)

Key words: dimethyl sulfoxide, acetonitrile, circular dichroism, dissolution, drug substance

Download English Version:

<https://daneshyari.com/en/article/8327416>

Download Persian Version:

<https://daneshyari.com/article/8327416>

[Daneshyari.com](https://daneshyari.com)