

## Accepted Manuscript

Rheological properties in relation to molecular structure of quinoa starch

Guantian Li, Fan Zhu



PII: S0141-8130(17)34701-3  
DOI: [doi:10.1016/j.ijbiomac.2018.03.039](https://doi.org/10.1016/j.ijbiomac.2018.03.039)  
Reference: BIOMAC 9261

To appear in:

Received date: 27 November 2017  
Accepted date: 7 March 2018

Please cite this article as: Guantian Li, Fan Zhu , Rheological properties in relation to molecular structure of quinoa starch. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Biomac(2017), doi:[10.1016/j.ijbiomac.2018.03.039](https://doi.org/10.1016/j.ijbiomac.2018.03.039)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Rheological properties in relation to molecular structure of quinoa  
starch**

Guantian Li, Fan Zhu\*

*School of Chemical Sciences, University of Auckland, Private Bag 92019, Auckland*

*1142, New Zealand*

*\* Correspondence, email: [fzhu5@yahoo.com](mailto:fzhu5@yahoo.com)*

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/8327431>

Download Persian Version:

<https://daneshyari.com/article/8327431>

[Daneshyari.com](https://daneshyari.com)