Accepted Manuscript

Starch hydrogels: The influence of the amylose content and gelatinization method

Bárbara Biduski, Wyller Max Ferreira da Silva, Rosana Colussi, Shanise Lisie de Mello El Halal, Loong-Tak Lim, Álvaro Renato Guerra Dias, Elessandra da Rosa Zavareze


PII: S0141-8130(17)34204-6

DOI: doi:10.1016/j.ijbiomac.2018.02.144

Reference: BIOMAC 9201

To appear in:

Received date: 26 October 2017
Revised date: 18 January 2018
Accepted date: 22 February 2018



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Starch hydrogels: The influence of the amylose content and gelatinization method

Bárbara Biduski^{ab}, Wyller Max Ferreira da Silva^a, Rosana Colussi^a, Shanise Lisie de Mello El Halal^a, Loong-Tak Lim^b, Álvaro Renato Guerra Dias^a, Elessandra da Rosa Zavareze^{a*}

^aDepartamento de Ciência e Tecnologia Agroindustrial, Universidade Federal de Pelotas, Rio Grande do Sul, Pelotas, RS, 96010-900, Brazil. E-mail: bbiduski@uoguelph.ca, wyller_m@hotmail.com; rosana_colussi@yahoo.com.br; shanisemell@hotmail.com, alvaro.guerra@pq.cnpq.br, zavareze@pq.cnpq.br.

^bDepartment of Food Science, University of Guelph, Guelph, Ontario, N1G 2W1, Canada. E-mail: llim@uoguelph.ca

*Corresponding author: Tel. +55 (53) 3275-7284.

E-mail address: elessandrad@yahoo.com.br, zavareze@pq.cnpq.br (E. Zavareze).

Download English Version:

https://daneshyari.com/en/article/8327516

Download Persian Version:

https://daneshyari.com/article/8327516

<u>Daneshyari.com</u>