Accepted Manuscript

Title: Fabrication of ofloxacin imprinted polymer on the surface of magnetic carboxylated cellulose nanocrystals for highly selective adsorption of fluoroquinolones from water



Authors: Zhao-Hong Hu, Yan–Fei Wang, Ahmed Mohamed Omer, Xiao–kun OuYang

PII:	S0141-8130(17)32373-5
DOI:	http://dx.doi.org/10.1016/j.ijbiomac.2017.09.009
Reference:	BIOMAC 8181
To appear in:	International Journal of Biological Macromolecules
Received date:	30-6-2017
Revised date:	24-8-2017
Accepted date:	5-9-2017

Please cite this article as: Zhao-Hong Hu, Yan–Fei Wang, Ahmed Mohamed Omer, Xiao–kun OuYang, Fabrication of ofloxacin imprinted polymer on the surface of magnetic carboxylated cellulose nanocrystals for highly selective adsorption of fluoroquinolones from water, International Journal of Biological Macromoleculeshttp://dx.doi.org/10.1016/j.ijbiomac.2017.09.009

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Fabrication of ofloxacin imprinted polymer on the surface of magnetic carboxylated cellulose nanocrystals for highly selective adsorption of fluoroquinolones from water

Zhao-Hong Hu^a, Yan–Fei Wang^a, Ahmed Mohamed Omer^{a,b}, Xiao–kun OuYang^a*

^aSchool of Food and Pharmacy, Zhejiang Ocean University, Zhoushan 316022, P.R. China

^bPolymer Materials Research Department, Advanced Technology and New Materials Research Institute, SRTA-City, New Borg El-Arab City, P.O. Box: 21934, Alexandria, Egypt

*Corresponding Author: Xiao-kun Ouyang

Tel.: +86–580–2554781. Fax: +86–580–2554781. E-mail address: <u>xkouyang@zjou.edu.cn</u> (Xiao–kun Ouyang).

Highlights

- M-CCNs@MIP was prepared and well-characterized for FQs adsorption.
- M-CCNs@MIP possessed good adsorption properties and reusability.

Download English Version:

https://daneshyari.com/en/article/8329003

Download Persian Version:

https://daneshyari.com/article/8329003

Daneshyari.com