Accepted Manuscript

Title: Chicken feathers as a natural source of sulphur to develop sustainable protein films with enhanced properties

Authors: Tania Garrido, Itsaso Leceta, Koro de la Caba, Pedro Guerrero



PII:S0141-8130(17)32489-3DOI:http://dx.doi.org/doi:10.1016/j.ijbiomac.2017.08.043Reference:BIOMAC 8035To appear in:International Journal of Biological MacromoleculesReceived date:9-7-2017Pavised date:2.8.2017

Revised date:2-8-2017Accepted date:5-8-2017

Please cite this article as: Tania Garrido, Itsaso Leceta, Koro de la Caba, Pedro Guerrero, Chicken feathers as a natural source of sulphur to develop sustainable protein films with enhanced properties, International Journal of Biological Macromoleculeshttp://dx.doi.org/10.1016/j.ijbiomac.2017.08.043

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Chicken feathers as a natural source of sulphur to develop sustainable

protein films with enhanced properties

Tania Garrido^a, Itsaso Leceta^b, Koro de la Caba^a, Pedro Guerrero^{a*} ^aBIOMAT research group, Department of Chemical and Environmental Engineering, Engineering College of Gipuzkoa, Plaza de Europa 1, 20018 Donostia-San Sebastián, Spain.

^bBIOMAT research group, Department of Applied Mathematics, Engineering College of Gipuzkoa, Plaza de Europa 1, 20018 Donostia-San Sebastián, Spain.

*Corresponding author. Tel +34 943018535

E-mail address: pedromanuel.guerrero@ehu.eus

Highlights

- Agro-industrial waste was valorised to improve film properties
- Hydrolyzed keratin/soy protein films were processed by casting and compression
- Manufactured films possessed high stability and structural integrity
- S-S bridges formation enhanced tensile strength values in compressed films
- Films with hydrolyzed keratin maintained good transparency values

Download English Version:

https://daneshyari.com/en/article/8329152

Download Persian Version:

https://daneshyari.com/article/8329152

Daneshyari.com