

## Accepted Manuscript

Title: Examination of *In Vitro* and *In Vivo* Biocompatibility of Alginate-Hyaluronic Acid Microbeads As a Promising Method in Cell delivery for Kidney Regeneration

Authors: Jhaleh Amirian, Tran Thi Tuong Van, Sang-Ho Bae, Hae-Il Jung, Hwan-Jun Choi, Hyun-Deuk Cho, Byong-Taek Lee



PII: S0141-8130(16)32776-3  
DOI: <http://dx.doi.org/doi:10.1016/j.ijbiomac.2017.07.019>  
Reference: BIOMAC 7826

To appear in: *International Journal of Biological Macromolecules*

Received date: 5-12-2016  
Revised date: 30-6-2017  
Accepted date: 3-7-2017

Please cite this article as: Jhaleh Amirian, Tran Thi Tuong Van, Sang-Ho Bae, Hae-Il Jung, Hwan-Jun Choi, Hyun-Deuk Cho, Byong-Taek Lee, Examination of *In Vitro* and *In Vivo* Biocompatibility of Alginate-Hyaluronic Acid Microbeads As a Promising Method in Cell delivery for Kidney Regeneration, *International Journal of Biological Macromolecules* <http://dx.doi.org/10.1016/j.ijbiomac.2017.07.019>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Examination of *In Vitro* and *In Vivo* Biocompatibility of Alginate-Hyaluronic Acid Microbeads As a Promising Method in Cell delivery for Kidney Regeneration

Jhaleh.Amirian<sup>1</sup>, Tran Thi Tuong Van<sup>2</sup>, Sang-Ho. Bae<sup>1,3</sup>, Hae-Il. Jung<sup>1,3</sup>, Hwan-Jun. Choi<sup>1,4</sup>, Hyun-Deuk. Cho<sup>5</sup>, and Byong-Taek. Lee<sup>1,2 \*</sup>

<sup>1</sup>*Institute of Tissue Regeneration, Soonchunhyang University 366-1, Ssangyong-dong, Cheonan-City, ChungCheongNam-Do 330-090, Republic of Korea*

<sup>2</sup>*Department of Regenerative Medicine, College of Medicine, Soonchunhyang University 366-1, Ssangyong-dong, Cheonan-City, ChungCheongNam-Do 330-090, Republic of Korea*

<sup>3</sup>*Department of Surgery, College of Medicine, Soonchunhyang University Hospital, Cheonan, Republic of Korea*

<sup>4</sup>*Department of Plastic and Reconstructive Surgery, College of Medicine, Soonchunhyang University Hospital, Cheonan, Republic of Korea*

<sup>5</sup>*Department of Pathology, College of Medicine, soonchunhyang University, Cheonan hospital, Cheonan, Republic of Korea*

\*Corresponding author: Lee Byong-Taek; Tel: +82 41 5702427; Fax: +82 5772415.

E-mail address: lbt@sch.ac.kr (B. T. Lee)

## Highlights

- Alginate-hyaluronic acid (ALG-HA) composite injectable microbeads with 100-250µm average size distribution were prepared by a spraying method into a CaCl<sub>2</sub> solution.

Download English Version:

<https://daneshyari.com/en/article/8329342>

Download Persian Version:

<https://daneshyari.com/article/8329342>

[Daneshyari.com](https://daneshyari.com)