

Accepted Manuscript

Dietary ALA, EPA and DHA have distinct effects on oxylipin profiles in female and male rat kidney, liver and serum

Shan Leng, Tanja Winter, Harold M. Aukema


PII: S0955-2863(17)30908-7
DOI: [doi:10.1016/j.jnutbio.2018.04.002](https://doi.org/10.1016/j.jnutbio.2018.04.002)
Reference: JNB 7967

To appear in:

Received date: 16 October 2017
Revised date: 20 January 2018
Accepted date: 13 April 2018

Please cite this article as: Shan Leng, Tanja Winter, Harold M. Aukema , Dietary ALA, EPA and DHA have distinct effects on oxylipin profiles in female and male rat kidney, liver and serum. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Jnb*(2018), doi:[10.1016/j.jnutbio.2018.04.002](https://doi.org/10.1016/j.jnutbio.2018.04.002)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Dietary ALA, EPA and DHA have distinct effects on oxylipin profiles in
female and male rat kidney, liver and serum

Shan Leng, Tanja Winter, Harold M. Aukema*

*Department of Human Nutritional Sciences, University of Manitoba; Canadian Centre for Agri-Food
Research in Health and Medicine, Winnipeg, Canada*

*Corresponding author: R2018, St. Boniface Hospital Albrechtsen Research Centre, 351 Tache Ave,
Winnipeg, MB, Canada R2H 2A6; email: aukema@umanitoba.ca; tel: 204-258-1364; fax: 204-237-4018

Download English Version:

<https://daneshyari.com/en/article/8336338>

Download Persian Version:

<https://daneshyari.com/article/8336338>

[Daneshyari.com](https://daneshyari.com)