

## Accepted Manuscript

Green Tea Extract Protects Against Hepatic NF $\kappa$ B Activation Along The Gut-Liver Axis In Diet-Induced Obese Mice With Nonalcoholic Steatohepatitis By Reducing Endotoxin and TLR4/MyD88 Signaling

Jinhui Li, Geoffrey Y. Sasaki, Priyankar Dey, Chureeporn Chitchumroonchokchai, Allison N. Labyk, Joshua D. McDonald, Joshua B. Kim, Richard S. Bruno

PII: S0955-2863(17)30292-9  
DOI: doi: [10.1016/j.jnutbio.2017.10.016](https://doi.org/10.1016/j.jnutbio.2017.10.016)  
Reference: JNB 7878

To appear in: *The Journal of Nutritional Biochemistry*

Received date: 31 March 2017  
Revised date: 12 October 2017  
Accepted date: 25 October 2017

Please cite this article as: Li Jinhui, Sasaki Geoffrey Y., Dey Priyankar, Chitchumroonchokchai Chureeporn, Labyk Allison N., McDonald Joshua D., Kim Joshua B., Bruno Richard S., Green Tea Extract Protects Against Hepatic NF $\kappa$ B Activation Along The Gut-Liver Axis In Diet-Induced Obese Mice With Nonalcoholic Steatohepatitis By Reducing Endotoxin and TLR4/MyD88 Signaling, *The Journal of Nutritional Biochemistry* (2017), doi: [10.1016/j.jnutbio.2017.10.016](https://doi.org/10.1016/j.jnutbio.2017.10.016)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Green Tea Extract Protects Against Hepatic NF $\kappa$ B Activation Along  
The Gut-Liver Axis In Diet-Induced Obese Mice With Nonalcoholic Steatohepatitis  
By Reducing Endotoxin and TLR4/MyD88 Signaling<sup>1,2,3</sup>**

Jinhui Li, Geoffrey Y. Sasaki, Priyankar Dey, Chureeporn Chitchumroonchokchai, Allison N.

Labyk, Joshua D. McDonald, Joshua B. Kim, Richard S. Bruno<sup>\$</sup>

Human Nutrition Program, The Ohio State University, Columbus, Ohio 43210, USA;

**<sup>\$</sup>Corresponding Author:** Richard S. Bruno, PhD, RD, Professor; Human Nutrition Program, 1787 Neil Ave, 325 Campbell Hall, The Ohio State University, Columbus, OH 43210, USA; bruno.27@osu.edu; Office: (614) 292-5522; Fax: (614) 292-4339

**<sup>1</sup>Running Title:** GTE reduces TLR4-mediated inflammation in NASH

**<sup>2</sup>Funding:** This work was supported by grants from USDA-NIFA (2014-67017-21761); The Ohio State University (OSU) Food Innovation Center; the Molecular Carcinogenesis and Chemoprevention Program of The OSU Comprehensive Cancer Center (NIH, National Cancer Institute P30CA16058); The OSU Center for Advanced Functional Foods Research and Entrepreneurship; The OSU Ohio Agricultural Research and Development Center.

**<sup>3</sup>Keywords:** green tea, NASH, inflammation, TLR4, endotoxin

Download English Version:

<https://daneshyari.com/en/article/8336427>

Download Persian Version:

<https://daneshyari.com/article/8336427>

[Daneshyari.com](https://daneshyari.com)