

Accepted Manuscript

Intake of a Western diet containing cod instead of pork alters fatty acid composition in tissue phospholipids and attenuates obesity and hepatic lipid accumulation in mice

Ulrike Liisberg, Kristin Røen Fauske, Ondrej Kuda, Even Fjære, Lene Secher Myrmel, Nina Norberg, Livar Frøyland, Ingvild Eide Graff, Bjørn Liaset, Karsten Kristiansen, Jan Kopecky, Lise Madsen

PII: S0955-2863(16)30034-1
DOI: doi: [10.1016/j.jnutbio.2016.03.014](https://doi.org/10.1016/j.jnutbio.2016.03.014)
Reference: JNB 7575

To appear in: *The Journal of Nutritional Biochemistry*

Received date: 1 December 2015
Revised date: 18 March 2016
Accepted date: 23 March 2016

Please cite this article as: Liisberg Ulrike, Fauske Kristin Røen, Kuda Ondrej, Fjære Even, Myrmel Lene Secher, Norberg Nina, Frøyland Livar, Graff Ingvild Eide, Liaset Bjørn, Kristiansen Karsten, Kopecky Jan, Madsen Lise, Intake of a Western diet containing cod instead of pork alters fatty acid composition in tissue phospholipids and attenuates obesity and hepatic lipid accumulation in mice, *The Journal of Nutritional Biochemistry* (2016), doi: [10.1016/j.jnutbio.2016.03.014](https://doi.org/10.1016/j.jnutbio.2016.03.014)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Intake of a Western diet containing cod instead of pork alters fatty acid composition in tissue phospholipids and attenuates obesity and hepatic lipid accumulation in mice.

Ulrike Liisberg^{a,c,#}, Kristin Røen Fauske^{a,#}, Ondrej Kuda^b, Even Fjære^a, Lene Secher Myrmet^a, Nina Norberg^a, Livar Frøyland^a, Ingvild Eide Graff^a, Bjørn Liaset^a, Karsten Kristiansen^c, Jan Kopecky^b and Lise Madsen^{a,c,*}.

[#] Contributed equally

^a *National Institute of Nutrition and Seafood Research (NIFES), Bergen, Norway;*

^b *Department of Adipose Tissue Biology, Institute of Physiology Academy of Sciences of the Czech Republic, Prague, Czech Republic;*

^c *Department of Biology, University of Copenhagen, Denmark*

*Correspondence should be addressed to: Lise Madsen, National Institute of Nutrition and Seafood Research, P.O.BOX 2029 Nordnes, N-5817 Bergen, Norway. Fax: +47 5590 5299; Phone: +47 4147 6177; e-mail: lise.madsen@nifes.no

Abbreviations: AEA, *N*-arachidonylethanolamine; 2-AG, 2-arachidonoylglycerol; ALT, alanine aminotransferase; ARA, arachidonic acid; CB1, cannabinoid receptor 1; DHA, docosahexaenoic acid; EPA, eicosapentaenoic acid; LA, linoleic acid; LDH, lactate dehydrogenase; NAFLD, non-alcoholic fatty liver disease; PL, phospholipid; OH-butyrate, 3-hydroxy-butyrate; PUFAs, polyunsaturated fatty acids; RBCs, red blood cells; TAG, triacylglycerol

Download English Version:

<https://daneshyari.com/en/article/8336575>

Download Persian Version:

<https://daneshyari.com/article/8336575>

[Daneshyari.com](https://daneshyari.com)