
Accepted Manuscript

Title: Development of a highly sensitive *in vitro* system to detect and discriminate between vitamin D receptor agonists and antagonists based on split-luciferase technique



Authors: Hiroki Mano, Shinichi Ikushiro, Nozomi Saito, Atsushi Kittaka, Toshiyuki Sakaki

PII:	S0960-0760(17)30324-2
DOI:	https://doi.org/10.1016/j.jsbmb.2017.10.024
Reference:	SBMB 5062
To appear in:	Journal of Steroid Biochemistry & Molecular Biology
Received date:	11-7-2017
Revised date:	20-10-2017
Accepted date:	31-10-2017

Please cite this article as: Hiroki Mano, Shinichi Ikushiro, Nozomi Saito, Atsushi Kittaka, Toshiyuki Sakaki, Development of a highly sensitive in vitro system to detect and discriminate between vitamin D receptor agonists and antagonists based on split-luciferase technique, Journal of Steroid Biochemistry and Molecular Biology https://doi.org/10.1016/j.jsbmb.2017.10.024

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Development of a highly sensitive *in vitro* system to detect and discriminate between vitamin D receptor agonists and antagonists based on split-luciferase technique

Hiroki Mano^a, Shinichi Ikushiro^b, Nozomi Saito^{c,d}, Atsushi Kittaka^c and Toshiyuki Sakaki^a*

^a Department of Pharmaceutical Engineering, Faculty of Engineering, Toyama Prefectural University, 5180 Kurokawa, Imizu, Toyama 939-0398, Japan:

^b Department of Biotechnology, Faculty of Engineering, Toyama Prefectural University, 5180 Kurokawa, Imizu, Toyama 939-0398, Japan:

^c Faculty of Pharmaceutical Sciences, Teikyo University, Itabashi, Tokyo 173-8605 Japan:

^d Present address: Meiji Pharmaceutical University, Kiyose, Tokyo 204-8588, Japan

*Corresponding author: Toshiyuki Sakaki Department of Pharmaceutical Engineering,, Faculty of Engineering, Toyama Prefectural University, 5180 Kurokawa, Imizu, Toyama 939-0398, Japan Phone: +81-766-56-7500 Ext.913 Fax: +81-766-56-2498 E-mail: tsakaki@pu-toyama.ac.jp Download English Version:

https://daneshyari.com/en/article/8337830

Download Persian Version:

https://daneshyari.com/article/8337830

Daneshyari.com