

Pronounced and sustained cutaneous vasoconstriction during and following cyrotherapy treatment: Role of neurotransmitters released from sympathetic nerves

Kevin M. Christmas, Jordan C. Patik, Sepideh Khoshnevis, Kenneth R. Diller, R. Matthew Brothers

PII: S0026-2862(17)30036-5
DOI: doi: 10.1016/j.mvr.2017.08.005
Reference: YMVRE 3732

To appear in: *Microvascular Research*

Received date: 8 February 2017
Revised date: 13 August 2017
Accepted date: 19 August 2017

Please cite this article as: Kevin M. Christmas, Jordan C. Patik, Sepideh Khoshnevis, Kenneth R. Diller, R. Matthew Brothers , Pronounced and sustained cutaneous vasoconstriction during and following cyrotherapy treatment: Role of neurotransmitters released from sympathetic nerves, *Microvascular Research* (2017), doi: 10.1016/j.mvr.2017.08.005

Pronounced and Sustained Cutaneous Vasoconstriction during and Following Cyrotherapy Treatment: Role of Neurotransmitters Released from Sympathetic Nerves

Kevin M. Christmas[1], Jordan C. Patik[1,2], Sepideh Khoshnevis[3], Kenneth R. Diller[3], and R. Matthew Brothers[1,2]

[1]Environmental and Autonomic Physiology Laboratory, Department of Kinesiology and Health Education, The University of Texas at Austin, Austin, Texas

[2]Integrative Vascular Physiology Laboratory, Department of Kinesiology, The University of Texas at Arlington, Arlington, Texas

[3]Department of Biomedical Engineering, The University of Texas at Austin, Austin, Texas

Running Head: Pronounced and sustained vasoconstriction during localized cooling

Correspondence:

R. Matthew Brothers, PhD.

Associate Professor,

Department of Kinesiology

The University of Texas at Arlington

Box 19259, 155 Maverick Activities Center, Arlington, TX 76109

Office phone: 817-272-3151

Fax: 817-272-3233

E-mail: matthew.brothers@uta.edu