Accepted Manuscript



Nitrate as a source of nitrite and nitric oxide during exercise hyperemia in rat skeletal muscle

Barbora Piknova, Ji Won Park, Kai Kwan (Jeff) Lam, Alan N. Schechter

PII: S1089-8603(16)30020-9

DOI: 10.1016/j.niox.2016.03.005

Reference: YNIOX 1557

To appear in: *Nitric Oxide*

Received Date: 16 November 2015

Revised Date: 24 February 2016

Accepted Date: 18 March 2016

Please cite this article as: B. Piknova, J.W. Park, K. Kwan (Jeff) Lam, A.N Schechter, Nitrate as a source of nitrite and nitric oxide during exercise hyperemia in rat skeletal muscle, *Nitric Oxide* (2016), doi: 10.1016/j.niox.2016.03.005.

Nitrate as a source of nitrite and nitric oxide during exercise hyperemia in rat skeletal muscle.

Barbora Piknova[1,2], Ji Won Park[1], Kai Kwan (Jeff) Lam and Alan N Schechter
Molecular Medicine Branch, NIDDK, National Institutes of Health, Bethesda, MD 20892
[1] – these authors contributed equally to the work, [2] – corresponding author

Corresponding author:
Barbora Piknova, PhD
Molecular Medicine Branch, NIDDK
National Institutes of Health
9000 Rockville Pike
Building 10, Room 9N318
Bethesda, MD 20892
USA
e-mail: piknovab@mail.nih.gov
phone: 301-402-2616
fax: 301-402-0101