


Accepted Manuscript

Title: Biochemical and pharmacological characterization of three opioid-nociceptin hybrid peptide ligands reveals substantially differing modes of their actions

Authors: Anna I. Erdei, Adina Borbély, Anna Magyar, Nóra Taricska, András Perczel, Ottó Zsíros, Győző Garab, Edina Szűcs, Ferenc Ötvös, Ferenc Zádor, Mihály Balogh, Mahmoud Al-Khrasani, Sándor Benyhe



PII: S0196-9781(17)30318-2
DOI: <https://doi.org/10.1016/j.peptides.2017.10.005>
Reference: PEP 69842

To appear in: *Peptides*

Received date: 24-4-2017
Revised date: 10-10-2017
Accepted date: 11-10-2017

Please cite this article as: Erdei Anna I, Borbély Adina, Magyar Anna, Taricska Nóra, Perczel András, Zsíros Ottó, Garab Győző, Szűcs Edina, Ötvös Ferenc, Zádor Ferenc, Balogh Mihály, Al-Khrasani Mahmoud, Benyhe Sándor. Biochemical and pharmacological characterization of three opioid-nociceptin hybrid peptide ligands reveals substantially differing modes of their actions. *Peptides* <https://doi.org/10.1016/j.peptides.2017.10.005>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Biochemical and pharmacological characterization of three opioid-nociceptin hybrid peptide ligands reveals substantially differing modes of their actions

Running title: Opioid-like receptor labelling by bivalent peptides

Anna I Erdei¹, Adina Borbély², Anna Magyar², Nóra Taricska³, András Perczel^{3,4}, Ottó Zsíros⁵, Győző Garab⁵, Edina Szűcs¹, Ferenc Ötvös¹, Ferenc Zádor¹, Mihály Balogh⁶, Mahmoud Al-Khrasani⁶, Sándor Benyhe^{1*}

¹ Institute of Biochemistry, Biological Research Center, Hungarian Academy of Sciences, H-6726 Szeged, Temesvári krt. 62., Hungary

² MTA-ELTE Research Group of Peptide Chemistry, Hungarian Academy of Sciences, Eötvös Loránd University, H-1117 Budapest, Pázmány Péter sétány 1/A Budapest, Hungary

³ Laboratory of Structural Chemistry and Biology, Institute of Chemistry, Eötvös Loránd University, Pázmány P. sétány 1/A, Budapest, H-1117 Hungary;

⁴ MTA-ELTE Protein Modelling Research Group, Institute of Chemistry, Hungarian Academy of Sciences, Eötvös Loránd University, H-1117 Budapest, Pázmány Péter sétány 1/A Budapest, Hungary

⁵ Institute of Plant Biology, Biological Research Center, Hungarian Academy of Sciences, H-6726 Szeged, Temesvári krt. 62., Hungary

⁶ Department of Pharmacology and Pharmacotherapy, Semmelweis University, H-1445 Budapest, Nagyvárad tér 4., Hungary

* Corresponding author:

Sándor Benyhe
Institute of Biochemistry,
Biological Research Center,
Hungarian Academy of Sciences,
H-6701 Szeged, P.O. Box 521, Hungary.
Tel.: +36 62 432 099;
Fax: +36 62 433 506.
E-mail address: benyhe@brc.hu

Download English Version:

<https://daneshyari.com/en/article/8347619>

Download Persian Version:

<https://daneshyari.com/article/8347619>

[Daneshyari.com](https://daneshyari.com)