

Molecular characterization of pyrethroid resistance in the olive fruit fly Bactrocera oleae

Nena Pavlidi, Anastasia Kampouraki, Vasilis Tseliou, Nicky Wybouw, Wannes Dermauw, Emmanouil Roditakis, Ralf Nauen, Thomas Van Leeuwen, John Vontas

PII: S0048-3575(18)30081-6
DOI: doi:10.1016/j.pestbp.2018.03.011
Reference: YPEST 4192

To appear in: *Pesticide Biochemistry and Physiology*

Received date: 16 February 2018
Revised date: 22 March 2018
Accepted date: 23 March 2018

Please cite this article as: Nena Pavlidi, Anastasia Kampouraki, Vasilis Tseliou, Nicky Wybouw, Wannes Dermauw, Emmanouil Roditakis, Ralf Nauen, Thomas Van Leeuwen, John Vontas , Molecular characterization of pyrethroid resistance in the olive fruit fly Bactrocera oleae. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Ypest(2018), doi:10.1016/j.pestbp.2018.03.011

Molecular characterization of pyrethroid resistance in the olive fruit fly *Bactrocera oleae*

Nena Pavlidi[1,2], Anastasia Kampouraki[3,4], Vasilis Tseliou[1], Nicky Wybouw[5], Wannes Dermauw[5] , Emmanouil Roditakis[6], Ralf Nauen[7], Thomas Van Leeuwen[2,5] and John Vontas[3,4,*] vontas@imbb.forth.gr

[1]Department of Biology, University of Crete (UoC), 71409 Heraklion, Greece

[2]Institute of Biodiversity and Ecosystem Dynamics (IBED), University of Amsterdam (UvA), 1098 XH, The Netherlands

[3]Institute of Molecular Biology and Biotechnology, Foundation for Research and Technology-Hellas (IMBB-FOH), 70013 Heraklion, Greece

[4]Pesticide Science Laboratory, Faculty of Crop Science, Agricultural University of Athens, 11855 Athens, Greece

[5]Laboratory of Agrozoology, Department of Plants and Crops, Faculty of Bioscience Engineering, Ghent University, B-9000 Ghent, Belgium

[6]Hellenic Agricultural Organization – 'Demeter', Institute of Olive Tree, Subtropical Crops and Viticulture, Department of Viticulture, Vegetable Crops and Plant Protection, Heraklion, Greece

[7]Bayer AG, Crop Science Division, R&D Pest Control, 40789 Monheim, Germany

[*]Corresponding author

Abstract