Title: INVOLVEMENT OF HIPPOCAMPAL ANGIOTENSIN 1 RECEPTORS IN ANXIETY-LIKE BEHAVIOUR OF OLFACTORY BULBECTOMIZED RATS

Authors: Roman Tashev, Margarita Ivanova

PII: S1734-1140(17)30208-6
DOI: https://doi.org/10.1016/j.pharep.2018.03.001
Reference: PHAREP 875

To appear in:

Received date: 16-3-2017
Revised date: 3-3-2018
Accepted date: 7-3-2018

Please cite this article as: Roman Tashev, Margarita Ivanova, INVOLVEMENT OF HIPPOCAMPAL ANGIOTENSIN 1 RECEPTORS IN ANXIETY-LIKE BEHAVIOUR OF OLFACTORY BULBECTOMIZED RATS (2010), https://doi.org/10.1016/j.pharep.2018.03.001

INVOLVEMENT OF HIPPOCAMPAL ANGIOTENSIN 1 RECEPTORS IN ANXIETY-LIKE BEHAVIOUR OF OLFACTORY BULBECTOMIZED RATS

Roman Tashev[1,2*] , Margarita Ivanova3

Assoc.prof. Roman Tashev [1,2*], MD, PhD

[1]Department of Pathophysiology, Medical University of Sofia, 2 Zdrave Str., 1431 Sofia, Bulgaria
[2]Department of Behaviour Neurobiology, Institute of Neurobiology, Bulgarian Academy of Sciences, Acad. G. Bonchev Str., Bl. 23, 1113 Sofia, Bulgaria
Tel: 035929792026
e mail: romantashev@gmail.com

Assoc.prof. Margarita Ivanova[3], MD, PhD
Department of Physiology and Pathophysiology, Medical University, 55 M. Drinov Str., 9000 Varna, Bulgaria
Tel: 052 306 287
e-mail: msvelikova@yahoo.com

[*]Corresponding author:
Roman Tashev, MD, PhD
[1] Department of Pathophysiology Medical University of Sofia, 2 Zdrave Str., 1431 Sofia, Bulgaria
[2]Department of Behaviour Neurobiology, Institute of Neurobiology, Bulgarian Academy of Sciences, Acad. G. Bonchev Str., Bl. 23, 1113 Sofia, Bulgaria
e mail: romantashev@gmail.com
Tel: 035929792026

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

Highlights

- Hipocampal Ang II did not affect the anxiety-like behavior of OBX rats
- Losartan infused into the hippocampus showed an anxiolytic behavior in OBX rats.
- AT1 receptors are involved in the mechanisms of OBX induced depression.