Accepted Manuscript

Title: The pattern of pharmacological treatment of bipolar patients discharged from psychiatric units in Poland

Authors: J. Jan Jaracz, Edyta Tetera- Rudnicka, Magdalena Bierejszyk, Kaja Witczyk, Agnieszka Raczyńska, Wojciech Nowak, Anna Pisarczyk, Krzysztof Woźniak, Wojciech Czernaś, Adam Moniakowski, Krystyna Jaracz

PII: \$1734-1140(17)30534-0

DOI: https://doi.org/10.1016/j.pharep.2018.02.004

Reference: PHAREP 854

To appear in:

Received date: 29-7-2017 Revised date: 31-12-2017 Accepted date: 2-2-2018

Please cite this article as: J.Jan Jaracz, Edyta Tetera- Rudnicka, Magdalena Bierejszyk, Kaja Witczyk, Agnieszka Raczyńska, Wojciech Nowak, Anna Pisarczyk, Krzysztof Woźniak, Wojciech Czernaś, Adam Moniakowski, Krystyna Jaracz, The pattern of pharmacological treatment of bipolar patients discharged from psychiatric units in Poland (2010), https://doi.org/10.1016/j.pharep.2018.02.004

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



The pattern of pharmacological treatment of bipolar patients discharged from psychiatric units in Poland

Jan Jaracz J.a, Edyta Tetera- Rudnicka b, Magdalena Bierejszyk b, Kaja Witczyk c, Agnieszka

Raczyńska ^c, Wojciech Nowak ^c, Anna Pisarczyk ^d, Krzysztof Woźniak ^d, Wojciech Czernaś ^e,

Adam Moniakowski f, Krystyna Jaracz g

a. Department of Adult Psychiatry Poznań University of Medical Sciences Poznan, Poland

b. Psychiatric Ward, "Zdroje" Hospital, Szczecin, Poland

c. The Province Hospital for the Nervously and Mentally Ill, "Dziekanka", Gniezno, Poland

d The Province Hospital for the Nervously and Mentally Ill, Cibórz, Poland

e Psychiatric Ward, District Hospital, Złotów, Poland

f Psychiatric Ward, 105th Military Hospital, Żary, Poland

g. Department of Neurological and Psychiatric Nursing, Poznan' University of Medical

Sciences, Poznan', Poland

Corresponding author: Jan Jaracz e- mail: jjjaracz@gmail.com

Department of Adult Psychiatry Poznań University of Medical Sciences 60, 60-572-Poznan,

Poland, Szpitalna 27/33

Abstract

Background

The concomitant use of two or more mood stabilisers (MS), second-generation antipsychotics

(SGA), lamotrigine as well as antidepressants, is frequently reported in the treatment of bipolar

patients The aim of this study was to investigate the pattern of pharmacological treatment with

special regard to polypharmacy defined as two or more psychiatric drugs taken at the same time

in the same patients with bipolar disorder discharged from psychiatric units in Poland.

1

Download English Version:

https://daneshyari.com/en/article/8349502

Download Persian Version:

https://daneshyari.com/article/8349502

<u>Daneshyari.com</u>