Accepted Manuscript

Title: Prolonged therapy with antidepressants increases hippocampal level of kynurenic acid and expression of *Kat1* and *Kat2* genes

Authors: Tomasz Kocki, Ewa M. Urbańska, Janusz Kocki, Renata Kloc, Katarzyna Kocka, Marcin Olajossy, Björn Owe-Larsson



S1734-1140(17)30662-X https://doi.org/10.1016/j.pharep.2018.01.004 PHAREP 844

To appear in:

 Received date:
 28-9-2017

 Revised date:
 11-1-2018

 Accepted date:
 11-1-2018

Please cite this article as: Tomasz Kocki, Ewa M.Urbańska, Janusz Kocki, Renata Kloc, Katarzyna Kocka, Marcin Olajossy, Björn Owe-Larsson, Prolonged therapy with antidepressants increases hippocampal level of kynurenic acid and expression of Kat1 and Kat2 genes (2010), https://doi.org/10.1016/j.pharep.2018.01.004

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Prolonged therapy with antidepressants increases

hippocampal level of kynurenic acid and expression of Kat1 and Kat2 genes

Tomasz Kocki^a, Ewa M. Urbańska^{b,*}, Janusz Kocki^c, Renata Kloc^b, Katarzyna Kocka^d, Marcin Olajossy^e, Björn Owe-Larsson^f

^aDepartment of Pharmacology and Toxicology, Medical University in Lublin, Poland ^bLaboratory of Cellular and Molecular Pharmacology, Department of Pharmacology and Toxicology, Medical University in Lublin, Poland ^cDepartment of Clinical Genetics, Medical University in Lublin, Poland ^dDepartment of Family Medicine and Community Nursing, Chair of Oncology and Environmental Health, Faculty of Health Sciences, Medical University of Lublin, Poland ^eII Chair of Psychiatry and Psychiatric Rehabilitation, Medical University of Lublin, Poland ^fDepartment of Clinical Neuroscience, Karolinska Institute, Section of Psychiatry at Karolinska University Hospital Huddinge, Stockholm, Sweden

*Corresponding author.

E-mail address: emurbanska@poczta.onet.pl (E. M. Urbanska)

Abstract

Background: Accumulating data suggest an important role of disturbed kynurenine pathway and altered glutamatergic transmission in the pathogenesis of depression. In here, we focused on detailed analyses of kynurenic acid (KYNA) status *in vivo* following single and 14-day Download English Version:

https://daneshyari.com/en/article/8349520

Download Persian Version:

https://daneshyari.com/article/8349520

Daneshyari.com