

Accepted Manuscript

Active proton efflux, nutrient retention and boron-bridging of pectin are related to greater tolerance of proton toxicity in the roots of two *Erica* species

Sabina Rossini Oliva, M. Dolores Mingorance, Dayan Sanhueza, Stephen C. Fry, Eduardo O. Leidi



PII: S0981-9428(18)30111-6

DOI: [10.1016/j.plaphy.2018.02.029](https://doi.org/10.1016/j.plaphy.2018.02.029)

Reference: PLAPHY 5166


To appear in: *Plant Physiology and Biochemistry*

Received Date: 30 January 2018

Accepted Date: 27 February 2018

Please cite this article as: S. Rossini Oliva, M.D. Mingorance, D. Sanhueza, S.C. Fry, E.O. Leidi, Active proton efflux, nutrient retention and boron-bridging of pectin are related to greater tolerance of proton toxicity in the roots of two *Erica* species, *Plant Physiology et Biochemistry* (2018), doi: 10.1016/j.plaphy.2018.02.029.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/8353109>

Download Persian Version:

<https://daneshyari.com/article/8353109>

[Daneshyari.com](https://daneshyari.com)