Accepted Manuscript

Overexpression of rice glutaredoxins (*OsGrxs*) significantly reduces arsenite accumulation by maintaining glutathione pool and modulating aquaporins in yeast

Pankaj Kumar Verma, Shikha Verma, Alok Kumar Meher, Veena Pande, Shekhar Mallick, Amit Kumar Bansiwal, Rudra Deo Tripathi, Om Parkash Dhankher, Debasis Chakrabarty

PII: S0981-9428(16)30167-X

DOI: 10.1016/j.plaphy.2016.04.052

Reference: PLAPHY 4528

To appear in: *Plant Physiology and Biochemistry*

Received Date: 4 March 2016

Revised Date: 29 April 2016

Accepted Date: 29 April 2016

Please cite this article as: P.K. Verma, S. Verma, A.K. Meher, V. Pande, S. Mallick, A.K. Bansiwal, R.D. Tripathi, O.P. Dhankher, D. Chakrabarty, Overexpression of rice glutaredoxins (*OsGrxs*) significantly reduces arsenite accumulation by maintaining glutathione pool and modulating aquaporins in yeast, *Plant Physiology et Biochemistry* (2016), doi: 10.1016/j.plaphy.2016.04.052.

Overexpression of rice glutaredoxins (*OsGrxs*) significantly reduces arsenite accumulation by maintaining glutathione pool and modulating aquaporins in yeast

Pankaj Kumar Verma[1,3], Shikha Verma[1,3], Alok Kumar Meher[2], Veena Pande[3], Shekhar Mallick[4], Amit Kumar Bansiwal[2], Rudra Deo Tripathi[4], Om Parkash Dhankher[5], Debasis Chakrabarty[1*]

[1]Genetics and Molecular Biology Division, CSIR-National Botanical Research Institute, India

[2]Environmental Material Division, CSIR-National Environmental Engineering Research Institute, India

[3]Department of Biotechnology, Kumaun University, India

[4]Environmental Biotechnology Division, CSIR-National Botanical Research Institute, India

[5]Stockbridge School of Agriculture, University of Massachusetts, Amherst, Massachusetts

*Corresponding author (chakrabartyd@nbri.res.in)